

FILE NOTATIONS

Entered in NID File
Location Map Pinned
Card Indexed ✓

Checked by Chief
Approval Letter
Disapproval Letter

COMPLETION DATA:

Date Well Completed *2-3-78*

Location Inspected

FW VW TA

Bond released

GW OS PA

State or Fee Land

LOGS FILED

Driller's Log ✓

Electric Logs (No.)

GR-N M

Date first production: *2-4-78*

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input type="checkbox"/>			5. LEASE DESIGNATION AND SERIAL NO. U-02148		
b. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/> SINGLE ZONE <input type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>			6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
2. NAME OF OPERATOR Chevron U. S.A. Inc.			7. UNIT AGREEMENT NAME Red Wash Unit		
3. ADDRESS OF OPERATOR P. O. Box 599 Denver, Colorado			8. FARM OR LEASE NAME		
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)* At surface 567' FWL & 789' FSL (SW $\frac{1}{4}$ SW $\frac{1}{4}$) At proposed prod. zone			9. WELL NO. 230 (14-18C)		
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* ±15 miles south and east from Jensen, Utah			10. FIELD AND POOL, OR WILDCAT Red Wash-Green River		
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 567'			11. SEC. T. R. E. OR S.E. AND SURVEY OR AREA S 18, T7S, R24E, SLBM		
16. NO. OF ACRES IN LEASE 40 ac. spacing			12. COUNTY OR PARISH Uintah		
17. NO. OF ACRES ASSIGNED TO THIS WELL 40			13. STATE Utah		
18. DISTANCE FROM PROPOSED* LOCATION TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. ±1320			19. PROPOSED DEPTH 5700'		
20. ROTARY OR CABLE TOOLS Rotary			21. APPROX. DATE WORK WILL START* Sept. 1, 1977		
22. ELEVATIONS (Show whether DF, RT, GR, etc.) GL 5668'					

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#	300	To Surface
7-7/8"	5-1/2"	15.5#	TD	±400 sxs

We propose to drill this development well to an estimated TD of 5700' to test the Green River Formation.

Attached: Drilling Procedure
Certified Plat
Chevron Class III BOP Requirements
Multi-Point Surface Use Plan w/attachments

APPROVED BY THE DIVISION OF
OIL, GAS, AND MINING
DATE: 8-4-77
BY: *Clem B. Light*

3 - USGS-SLC
2 - State
1 - USGS-Vernal
3 - Partners
1 - JCB
1 - ALF
1 - DBB
1 - Sec. 723
1 - File

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.


24. SIGNED *E. T. Krysuik* TITLE *E. T. KRYSUİK* Division Drlg. Supt. DATE 8-2-77

(This space for Federal or State office use)

PERMIT NO. *13-14730309* APPROVAL DATE

APPROVED BY TITLE DATE
CONDITIONS OF APPROVAL, IF ANY:


EXISTING ROAD
EDGE EXISTING ROAD



SCALE: 1" = 50'

CHEVRON U.S.A. INC.
LOCATION LAYOUT SHEET
RED WASH UNIT NO 14-18C
LOCATED IN THE SW 1/4 SW 1/4 SECTION 18,
T7S, R24E, S1B.2.M., UTAH
COUNTY, UTAH

CROSS SECTIONS



APPROX. YARDAGES

FILL -- 1600 Cu. Yds.
CUT -- 10400 Cu. Yds.

SCALE

1" = 50'

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPPLICATE
(Other instructions on re-
verse side)Form approved
Budget Bureau No. 42-R1424

5. LEASE DESIGNATION AND SERIAL NO.

12-02148

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Red Wash Unit

8. FARM OR LEASE NAME

9. WELL NO.

230 (14-18C)

10. FIELD AND POOL, OR WILDCAT

Red Wash-Green River

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

S 18, T7S, R24E, SLB&M

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR

P. O. Box 599 Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also Space 17 below.)
At surface

824' FWL & 893' FSL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, CR, etc.)

5677 Ungraded Ground

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐

(Other)

Change Location

PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

X

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐

(Other)

REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This location was moved at request of USGS and BLM during field inspection.

The attached survey plat and location layout sheet are to replace plat and location layout of Application for Permit to Drill dated 8-2-77

- 3 - USGS-SLC
- 2 - State
- 1 - USGS-Vernal
- 3 - Partners
- 1 - JCB
- 1 - ALF
- 1 - DBB
- 1 - Sec. 723
- 1 - File

APPROVED BY THE DIVISION OF
OIL, GAS, AND MINING

DATE: August 22, 1977

BY: P. J. Davis 4/0

18. I hereby certify that the foregoing is true and correct

SIGNED

E. T. Krysuik

TITLE

E. T. KRYSUIK

Division Drlg. Supt.

DATE

8-18-77

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:


TITLE

DATE

T7S, R24E, S.L.B. & M.

PROJECT
CHEVRON U.S.A., INC.

Well location, **RED WASH UNIT N° 230(14-18C)**, located as shown in the Lot 4 Section 18, T7S, R24E, S.L.B. & M., Uintah County, Utah.



'X' = Section Corners Located



CERTIFICATE


THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

[Signature]
REGISTERED LAND SURVEYOR
REGISTRATION N° 2454
STATE OF UTAH

Revised: 15 August 1977

UINTAH ENGINEERING & LAND SURVEYING
P.O. BOX Q - 110 EAST - FIRST SOUTH
VERNAL, UTAH - 84078

SCALE	1" = 1000'	DATE	7/22/77
PARTY	NM HM SS RS GP	REFERENCES	GLO Plat
WEATHER	Warm	FILE	CHEVRON USA INC.



WHILE DRILLING, BOTH PLUG VALVES ARE KEPT CLOSED

UNCOUPLD HALF UNION
"E"
2" STEEL VALVES



CASING SPOOL SHOULD BE POSITIONED SO THAT THESE VALVES ARE DIRECTLY UNDER THE BARREL OF THE RAM PREVENTER.

FIGURE 4
THREE PREVENTER HOOKUP
CLASS III

(PRESSURE RATING 3-5000 PSI AS REQUIRED)

EMERGENCY FLOW HOOKUP

* ALTERNATE CHOKE MANIFOLD



AN EXTRA SET OF DRILL PIPE RAMS WILL BE ON LOCATION AT ALL TIMES.

Chevron U.S.A. Inc.
ROCKY MTN. PRODUCTION DIVISION

Chevron U.S.A. Inc.

ROCKY MOUNTAIN PRODUCTION DIVISION

**GENERAL INSTRUCTIONS AND REQUIREMENTS FOR BLOWOUT
PREVENTION EQUIPMENT**

I. ACCEPTABLE ACCUMULATOR UNITS

- A. FOR 8" AND LARGER BOP UNITS.
 - 1. HYDRIL 80 GALLON
 - 2. PAYNE 80 GALLON (4-20 GALLON UNITS MANIFOLDED TOGETHER)
 - 3. KOOMEY 88 GALLON (4-22 GALLON UNITS MANIFOLDED TOGETHER)
- B. FOR 6" BOP UNITS
 - 1. HYDRIL 40 GALLON
 - 2. PAYNE 40 GALLON (2-20 GALLON UNITS MANIFOLDED TOGETHER)
 - 3. KOOMEY 44 GALLON (2-22 GALLON UNITS MANIFOLDED TOGETHER)
- C. A VALVE SHALL BE PROVIDED FOR INTRODUCTION OF EMERGENCY ENERGY (SUCH AS BAKER HAND PUMP) FROM AN EXTERIOR SOURCE OTHER THAN THE ACCUMULATOR. A VALVE SHALL BE INSTALLED TO PREVENT FLOW FROM AN EXTERIOR SOURCE TO THE ACCUMULATOR UNIT.

II. CONTROL UNITS

- A. ALL VALVES TO BE CLEARLY LABELED TO INSURE PROPER OPERATION AND TO ELIMINATE THE POSSIBILITY OF CONFUSION.
- B. HANDWHEELS FOR PIPE AND BLANK RAMS SHALL BE CLEARLY LABELED AND IN PLACE AT ALL TIMES WITH CLEAR ACCESS. A BARRICADE SHALL BE INSTALLED FOR THE PROTECTION OF THE OPERATOR AT THESE MANUAL CONTROLS.

III. PREVENTER UNITS

- A. PRESSURE RATING OF BOP EQUIPMENT WILL BE AS STATED IN THE CONTRACT OR ON THIS DRAWING.
- B. DRILLING NIPPLE AND BOP'S TO HAVE SUFFICIENT ID TO PASS HANGER FOR NEXT STRING OF CASING TO BE SET.
- C. NEW API BX RING GASKETS TO BE USED EACH TIME A FLANGE IS ASSEMBLED.
- D. FLANGE BOLTS ON BOP'S WILL BE TIGHTENED AFTER PRESSURE TESTS AND ONCE A WEEK ON A ROUTINE BASIS. CASINGHEAD BOLTS TO BE TIGHTENED DAILY.
- E. PREVENTERS ARE TO BE WELL BRACED.
- F. PRIOR TO RUNNING CASING, PIPE RAMS WILL BE CHANGED TO ACCOMMODATE SIZE OF CASING TO BE RUN.
- G. CASINGHEAD SHALL BE INSTALLED SO KILL LINE VALVES WILL BE UNDER BOP'S FOR PROTECTION. KILL LINE VALVES TO BE KEPT CLOSED AFTER PRESSURE TESTS.
- H. ALL REPLACEMENT PARTS TO BE OF SAME MANUFACTURE AS BOP'S.

IV. TESTING

- A. BLOWOUT PREVENTERS, KILL LINE, ALL VALVES IN THE SYSTEM, KELLY COCK, SAFETY VALVE, STAND PIPE VALVES, ROTARY HOSE, ETC. ARE ALL TO BE TESTED TO THE WORKING PRESSURE OF THE BOP'S OR AS STATED IN THE CONTRACT.
- B. BOP SYSTEM IS TO BE TESTED UPON INSTALLATION AND EACH WEEK THEREAFTER, USING A TEST PLUG OR AT THE FREQUENCY STATED IN THE CONTRACT.
- C. ALL TESTING IS TO BE DONE WITH CLEAR OR DYED WATER.
- D. TESTING PROCEDURE IS TO BE CARRIED OUT SO EACH VALVE IS TESTED INDIVIDUALLY.
- E. ALL B.O.P.E. TO BE OPERATED DAILY; BLIND RAMS ON TRIPS.

V. MISCELLANEOUS

- A. DRILL PIPE RUBBER, IN GOOD CONDITION, TO BE USED ON KELLY SAVER SUB AT ALL TIMES.
- B. A FULL OPENING VALVE IN THE STAND PIPE WITH A 2" VALVE DOWNSTREAM FOR CONNECTING A PUMP TRUCK ARE REQUIRED. THESE VALVES ARE TO HAVE THE SAME PRESSURE RATING AS THE BOP'S.
- C. CHECK WITH COMPANY REPRESENTATIVE FOR DIRECTION TO INSTALL OUTLET VALVES ON WELLHEAD.
- D. MODIFICATIONS OF HOOK-UP MUST BE APPROVED IN WRITING ON TOUR REPORTS BY COMPANY REPRESENTATIVE.
- E. INSIDE BLOWOUT PREVENTER AND FLOAT VALVE TO HAVE CONNECTIONS FOR DRILL STRING AND TO BE ABLE TO PASS THROUGH BOP STACK INTO OPEN HOLE.

*Rep. for
Cattle*

RED WASH UNITS 230, 231, 232, 233, 234 & 235
UINTAH COUNTY, UTAH
MULTIPOINT SURFACE USE PLAN

1. EXISTING ROADS.

A-F. See Exhibit. We will not change, alter, or improve upon any existing roads.

2. PLANNED ACCESS ROADS.

See Exhibits A-230, A-231, A-232, A-233, A-234, A-235.

- A. Width - 20'
- B. Maximum Grade - 8% if necessary.
- C. Turnouts - None.
- D. Drainage Design - Roads to be placed and constructed so that minimal drainage alterations will be made.
- E. No major cuts and fills. One culvert will be installed at point A on Exhibit A-231.
- F. Surfacing Materials - Gravel if necessary.
- G. Gates - Cattleguards - Fence Cuts - None.

3. LOCATION OF EXISTING WELLS.

See Exhibit B

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES.

- A. 1-6 See Exhibit B.
- B. 1-4 Install new flowlines from subject wells to appropriate collection stations as shown on Exhibit B. Flowlines will be 2-1/2" plain end welded line pipe. Normal construction procedures will be used. When warranted, fences, flagging, etc., will be used to protect animals.
- C. Disturbed areas no longer needed for operations will be graded back to as near original state as possible. Drainage channels will be returned to original state and the areas will be reseeded as prescribed by appropriate BLM personnel.

5. LOCATION AND TYPE OF WATER SUPPLY.

A-C. Fresh water supplied to the location will be piped through temporary surface lines from the appropriate collection stations or nearest fresh water line. Lines will be removed after drilling and completion operations. See Exhibit B.

6. SOURCE OF CONSTRUCTION MATERIALS.

A-D. All land is Federal land. All gravel, cement, etc., needed on the location will come commercially from the Vernal, Utah Area. Access roads needed are shown on Exhibits A-230, A-231, A-232, A-233, A-234, A-235.

7. METHODS FOR HANDLING WASTE DISPOSAL.

- A. Cuttings will be settled out in reserve pits.
- B. Drilling fluids will be retained in reserve tanks utilizing maximum recirculation during drilling operations. Following drilling the liquid waste will be evaporated and the remainder worked into the deep subsoil of the pit and the pit filled in and returned to natural grade.
- C. In the event fluids are produced, any oil will be retained until sold in tankage and any water produced will be retained until its quality is determined. The quality and quantity of water produced will then determine the necessary disposal procedure.
- D. Sewage will be disposed of in the subsurface with proper chemical treatment.
- E. Garbage and other combustible material will be incinerated in a safe incinerator and non-combustibles will be retained in a portable metal disposal container and hauled periodically to an approved disposal dump.
- F. After the rig has moved from the well site, all waste material will be either buried or removed to an approved disposal dump.

8. ANCILLARY FACILITIES.

Because of the accessibility to good roads and relatively close housing, we anticipate no need for ancillary facilities with the exception of two trailers to be located on the drilling location.

9. WELL SITE LAYOUT.

1-3 See Exhibits C-230 through C-235.

4. Pits will not be lined.

10. PLANS FOR RESTORATION OF SURFACE.

- A. All surface areas not required for producing operations will be graded to as near original condition as possible and contoured to maintain possible erosion to a minimum. Any rock encountered in excavation will be disposed of beneath backfill to return surface to its present appearance and provide soil for seed growth.
- B. Reseeding will be performed as directed by the BLM.
- C. Pits and any other area that would present a hazard to wildlife or livestock will be fenced off when the rig is released and removed.
- D. Any oil accumulation on the pit will be removed, burned or overhead flagged as dictated by then existing conditions.
- E. The wells may be completed during winter months. Under normal conditions, rehabilitation could not be commenced until April or May and should be completed by the end of the summer of 1978.

11. OTHER INFORMATION.

- A. The wells are located on hilly and rocky terrain. Vegetation consists of small sagebrush, natural grasses and some small trees on and around the locations. The soil is a poorly developed semi-arid thin topsoil layer over the Uintah formation.
- B. Surface use activities other than the oil well facilities consists of livestock grazing as assigned by BLM.
- C. There are no water bodies or occupied dwellings near the well sites. Archaeological, historical, and cultural sites may be determined by the BLM during the field inspection.

12. COMPANY REPRESENTATIVE.

R. W. Patterson
P. O. Box 599
Denver, Colorado 80201
(303) 759-7000

13. I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Chevron U.S.A. Inc. and its Contractors and Subcontractors in conformity with this plan and the terms and conditions under which it is approved.

8/2/77

Date

R. W. Patterson

R. W. PATTERSON, Drilling Supervisor

ATTACHMENT


BOP TESTS SUBSEQUENT TO
INITIAL INSTALLATION AND
TESTING TO MSP

After initial installation and testing of BOPE to MSP, subsequent tests of BOPE may be made using rig pump to the following minimum test pressures:

Pipe Rams, Series 900	-	2000 psi
Pipe Rams, Series 1500	-	3000 psi
Hydril	-	750 psi
Blind Rams	-	*
Choke Manifold, Kelly Cock, DP and Safety Valve	-	same as pipe rams

*Initial test of blind rams to be from below against the csg to 50% of minimum IY pressures. Subsequent tests to be from above to 1000 psi by locking a DP tool jt. below closed pipe rams.

When using rig pump, all BOP's, lines, etc., should be filled with water for the test.




CHEVRON U.S.A., INC.
RED WASH UNIT A-230
No 14-18C

TOPO. MAP


SCALE 1" = 2000'


ROAD CLASSIFICATION
Secondary highway, all weather, Light-duty road, all weather,
hard surface improved surface
Unimproved road, fair or dry
weather

State Route





QUADRANGLE LOCATION





CHEVRON U.S.A. INC.
 LOCATION LAYOUT
 RED WASH UNIT 230 N° 14-18C
 SECTION 18, T7S, R24E, S1M.
 UTAH COUNTY, UTAH

CROSS SECTIONS



APPROX. YARDAGES
 CUT 13,587 CU. YDS.
 FILL 697 CU. YDS.
 ELEV UNGRADED GROUND 5668'

Exhibit C-230

STATE OF UTAH
DIVISION OF OIL, GAS, AND MINING

** FILE NOTATIONS **

Date: Aug. 4-
Operator: Chesbon Oil Co.
Well No: Bed Wash Unit #230 (14-18C)
Location: Sec. 18 T. 7S R. 24E County: Uintah

File Prepared

☒

Entered on N.I.D.

☒

Card Indexed

☒

Completion Sheet

☒

CHECKED BY:

Administrative Assistant

[Signature]

Remarks:

[Signature]

Petroleum Engineer

[Signature]

Remarks:

Director

[Signature]

Remarks:

INCLUDE WITHIN APPROVAL LETTER:

Bond Required ☐

Survey Plat Required ☐

Order No. ☐

Surface Casing Change ☐

to ☐

Rule C-3(c), Topographic exception/company owns or controls acreage
within a 660' radius of proposed site ☐

O.K. Rule C-3 ☐

O.K. In Bed Wash Unit ☒

Other:

☒ Letter Written/Approved

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

5. LEASE DESIGNATION AND SERIAL NO.

U-02148

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Red Wash Unit

8. FARM OR LEASE NAME

9. WELL NO.

230 (14-18C)

10. FIELD AND POOL, OR WILDCAT

Red Wash-Green River

11. SEC., T., R., M., OR BLK.
AND SURVEY OR AREA

S 18, T7S, R24E, SLBM

12. COUNTY OR PARISH 13. STATE

Uintah

Utah

1A. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

B. TYPE OF WELL

OIL
WELL ☒GAS
WELL ☐

OTHER

SINGLE
ZONE ☐MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

Chevron U. S. A. Inc.

3. ADDRESS OF OPERATOR

P. O. Box 599 Denver, Colorado

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*

At surface

W 82 1/4' 567' FWL & 789' FSL (SW 1/4 SW 1/4)

At proposed prod. zone

893'

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

±15 miles south and east from Jensen, Utah

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drg. unit line, if any)

567'

16. NO. OF ACRES IN LEASE

40 ac. spacing

17. NO. OF ACRES ASSIGNED
TO THIS WELL

40

18. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

±1320

19. PROPOSED DEPTH

5700'

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

GL 5668'

22. APPROX. DATE WORK WILL START*

Sept. 1, 1977

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#	300	To Surface ✓
7-7/8"	5-1/2"	15.5#	TD	±400 sx

We propose to drill this development well to an estimated TD of 5700' to test the Green River Formation.

Attached: Drilling Procedure
Certified Plat
Chevron Class III BOP Requirements
Multi-Point Surface Use Plan w/attachments

3 - USGS-SLC
2 - State
1 - USGS-Vernal
3 - Partners
1 - JCB
1 - ALF
1 - DBB
1 - Sec. 723
1 - File

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

E. T. Krysuik

TITLE

E. T. KRYSUİK

Division Dirg. Supt.

DATE

8-2-77

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

E. T. Krysuik

TITLE

DISTRICT ENGINEER

DATE

SEP 21 1977

CONDITIONS OF APPROVAL, IF ANY:

State Office, Denver


*See Instructions On Reverse Side

T7S, R24E, S.L.B.&M.

PROJECT

CHEVRON U.S.A., INC.

Well location, **RED WASH UNIT 230**
Nº 14-18C, located as shown in the
 Lot 4 Section 18, T7S, R24E, S.L.B.&M.,
 Uintah County, Utah.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
 FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
 SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
 BEST OF MY KNOWLEDGE AND BELIEF.

[Signature]
 REGISTERED LAND SURVEYOR
 REGISTRATION Nº 2454
 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
 P.O. BOX Q - 110 EAST - FIRST SOUTH
 VERNAL, UTAH - 84078

X = Section Corners Located .

SCALE	1" = 1000'	DATE	7/22/77
PARTY	NM HM SS RS GP	REFERENCES	GLO Plat
WEATHER	Warm	FILE	CHEVRON USA INC.

DRILLING PROCEDURE

Field Red Wash Unit Well Red Wash Unit #230 (14-18C)
 Location SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T7S, R24E, SLB&M, Uintah Co., Utah
 Drill x Deepen _____ Elevation: GL 5668 KB Est 5680 Total Depth 5800
 Non-Op Interests Gulf 1.18%; Caulkins 0.885%; Buttram 0.295%

1. Name of surface formation: Uintah Shales & Sands

2. Estimated tops of important geologic markers:

<u>Formation</u>	<u>Approximate Top</u>	<u>Formation</u>	<u>Approximate Top</u>
<u>Green River Fm (K pt)</u>	<u>5270 (+410)</u>	_____	_____
<u>KR30</u>	<u>5440 (+390)</u>	_____	_____
_____	_____	_____	_____

3. Estimated depths of anticipated water, oil, gas or other mineral bearing formations:

<u>Formation</u>	<u>Depth</u>	<u>Type</u>	<u>Formation</u>	<u>Depth</u>	<u>Type</u>
<u>K Series</u>	<u>5250 (+430)</u>	<u>Oil</u>	_____	_____	_____
<u>L Series</u>	<u>5440 (+240)</u>	<u>Oil</u>	_____	_____	_____
_____	_____	_____	_____	_____	_____

4. Casing Program (O = old, N = new):

	<u>Surface</u>	<u>O/N</u>	<u>Intermediate</u>	<u>O/N</u>	<u>Oil String/ Liner</u>	<u>O/N</u>
Hole Size	<u>12-1/4</u>	_____	_____	_____	<u>7-7/8</u>	_____
Pipe Size	<u>8-5/8</u>	<u>N</u>	_____	_____	<u>5-1/2</u>	<u>N</u>
Grade	<u>K</u>	_____	_____	_____	<u>K</u>	_____
Weight	<u>24#</u>	_____	_____	_____	<u>15.5#</u>	_____
Depth	<u>300</u>	_____	_____	_____	<u>TD</u>	_____
Cement	<u>To Surface</u>	_____	_____	_____	<u>±400 sx</u>	_____
Time WOC	<u>6 hrs</u>	_____	_____	_____	<u>6 hrs</u>	_____
Casing Test	<u>1000</u>	_____	_____	_____	<u>2000</u>	_____
BOP	<u>10" S-900</u>	_____	_____	_____	_____	_____
Remarks	_____					

5. BOPE: Chevron Class III S-900 (att.)

6. Mud Program:

<u>Depth Interval</u>	<u>Type</u>	<u>Weight</u>	<u>Viscosity</u>	<u>Water Loss</u>
<u>0- 300</u>	<u>Gel-Water</u>	_____	_____	_____
<u>300-3000</u>	<u>Water</u>	_____	_____	_____
<u>3000- TD</u>	<u>Gel-Chem</u>	<u>±9.0</u>	<u>40</u>	<u>6cc below 5000'</u>

7. Auxiliary Equipment: Kelly cock, full opening valve w/DP connection on floor.

8. Logging Program:

Surface Depth _____

Intermediate Depth _____

Oil String Depth _____

Total Depth SP-DIL:Base surf csg to TD; GR-CNL-FDC Cal: 2500' to TD; RFT 10-15 sets

9. Mud Logging Unit: 2 man, 2500' to TD
 Scales: 2" = 100' _____ to _____; 5" = 100' _____ to _____

10. Coring & Testing Program:

	<u>Formations</u>	<u>Approximate Depth</u>	<u>Approximate Length of Core</u>
Core _____ DST _____	_____	_____	_____
Core _____ DST _____	_____	_____	_____

11. Anticipated Bottom Hole Pressure/Temperature/Hazards and plans for mitigating: _____
1500 psi BHP

12. Completion & Remarks: To be determined from logs.

Division Development Geologist [Signature] Division Drilling Superintendent [Signature]
 Chief Development Geologist RCL/dec Date 3/27

DATE 9-2-77

0	ENHANCES
	NO IMPACT
/	MINOR IMPACT
X	MAJOR IMPACT

OPERATOR <u>Charron</u>		DATE <u>9-2-77</u>					
LEASE # <u>U-02148</u>							
WELL NO. <u>230 (14-18C)</u>							
LOC. <u>9W 1/4 SU</u> SEC. <u>18</u>							
T. <u>2S</u> R. <u>24E</u>							
COUNTY <u>Winton</u> STATE <u>Ut.</u>							
FIELD <u>Red Wash</u>							
USGS <u>Cook</u>							
BLM <u>Robbing</u>							
REP: <u>Bulank</u>							
DIRT							
<input checked="" type="checkbox"/> ENHANCES							
<input type="checkbox"/> NO IMPACT							
<input type="checkbox"/> MINOR IMPACT							
<input checked="" type="checkbox"/> MAJOR IMPACT							
		Construction	Pollution	Drilling Production	Transport Operations	Accidents	Others
		Roads, bridges, airports	Burning, noise, junk disposal	Well drilling	Trucks	Spills and leaks	
		Transmission lines, pipelines	Liquid effluent discharge	Fluid removal (Prod. wells, facilities)	Pipelines	Operational failure	
		Dams & impoundments	Subsurface disposal	Secondary Recovery	Others		
		Others (pump stations, compressor stations, etc.)	Others (toxic gases, noxious gas, etc.)	Noise or obstruction of scenic views			
				Mineral processing (ext. facilities)			
				Others			

LEASE U-02148DATE 9-2-77WELL NO. 230 (14-18C)LOCATION: SW 1/4 SW 1/4, SEC. 18, T. 7S, R. 24EFIELD Red WashCOUNTY UintahSTATE UtahENVIRONMENTAL IMPACT ANALYSIS - ATTACHMENT 2-BI. PROPOSED ACTIONChertron H&B USA, Inc.
(COMPANY)

PROPOSES TO DRILL AN OIL AND

GAS TEST WELL WITH ROTARY TOOLS TO ABOUT 5200 FT. TD. 2) TO CONSTRUCT ADRILL PAD 225 FT. X 325 FT. AND A RESERVE PIT 225 FT. X 125 FT.3) TO CONSTRUCT 18 FT. WIDE X 1/8 MILES ACCESS ROAD AND UPGRADE

FT. WIDE X MILES ACCESS ROAD FROM AN EXISTING AND IMPROVED ROAD, TO

☐ GAS ☒ OIL PRODUCTION FACILITIES ON THE DISTURBED AREA FOR THE DRILL PADAND ☐ TRUCK ☒ TRANSPORT THE PRODUCTION THROUGH A PIPELINE TO A TIE-IN INSECTION 13, T. 7S, R. 23E.2. LOCATION AND NATURAL SETTING (EXISTING ENVIRONMENTAL SITUATION).(1) TOPOGRAPHY: ☒ ROLLING HILLS ☐ DISSECTED TOPOGRAPHY ☐ DESERTOR PLAINS ☐ STEEP CANYON SIDES ☐ NARROW CANYON FLOORS ☒ DEEP DRAINAGEIN AREA ☐ SURFACE WATER(2) VEGETATION: ☒ SAGEBRUSH ☐ PINION-JUNIPER ☐ PINE/FIR ☐ FARMLAND(CULTIVATED) ☒ NATIVE GRASSES ☐ OTHER

(3) WILDLIFE: ☒ DEER ☐ ANTELOPE ☐ ELK ☐ BEAR ☒ SMALL
MAMMAL ☒ BIRDS ☐ ENDANGERED SPECIES ☐ OTHER _____

(4) LAND USE: ☒ RECREATION ☒ LIVESTOCK GRAZING ☐ AGRICULTURE
☐ MINING ☐ INDUSTRIAL ☐ RESIDENTIAL ☒ OIL & GAS OPERATIONS

REF: BLM UMBRELLA EAR *Oil & Gas Leasing Program EAR.*
~~USFS EAR~~ *Vernal District, Revised Feb. 1976*
~~OTHER ENVIRONMENTAL ANALYSTS~~ *Ut-080-6-28*

3. Effects on Environment by Proposed Action (potential impact)

1) EXHAUST EMISSIONS FROM THE DRILLING RIG POWER UNITS AND SUPPORT TRAFFIC ENGINES WOULD ADD MINOR POLLUTION TO THE ATMOSPHERE IN THE LOCAL VICINITY.

2) MINOR INDUCED AND ACCELERATED EROSION POTENTIAL DUE TO SURFACE DISTURBANCE AND SUPPORT TRAFFIC USE.

3) MINOR VISUAL IMPACTS FOR A SHORT TERM DUE TO OPERATIONAL EQUIPMENT AND SURFACE DISTURBANCE.

4) TEMPORARY DISTURBANCE OF WILDLIFE AND LIVESTOCK.

5) MINOR DISTRACTION FROM AESTHETICS FOR SHORT TERM.

6) *Possible Major erosion Due To Surface Disturbance of major Drainage*

4. Alternatives to the Proposed Action

1) NOT APPROVING THE PROPOSED PERMIT -- THE OIL AND GAS LEASE GRANTS THE LESSEE EXCLUSIVE RIGHT TO DRILL FOR, MINE, EXTRACT, REMOVE AND DISPOSE OF ALL OIL AND GAS DEPOSITS.

2) DENY THE PROPOSED PERMIT AND SUGGEST AN ALTERNATE LOCATION TO MINIMIZE ENVIRONMENTAL IMPACTS. NO ALTERNATE LOCATION ON THIS LEASE WOULD JUSTIFY THIS ACTION.

3) LOCATION WAS MOVED 257' west 104' south TO AVOID

☐ LARGE SIDEHILL CUTS ☒ NATURAL DRAINAGE ☐ OTHER

*This action was taken with U.S.G.S.,
B.L.M. and Chevron's approval.
(See attached sundry notice and survey plot)*

5. Adverse Environmental Effects Which Cannot Be Avoided

1) MINOR AIR POLLUTION DUE TO EXHAUST EMISSIONS FROM RIG ENGINES AND SUPPORT TRAFFIC ENGINES.

2) MINOR INDUCED AND ACCELERATED EROSION POTENTIAL DUE TO SURFACE DISTURBANCE AND SUPPORT TRAFFIC USE.

3) MINOR AND TEMPORARY DISTURBANCE OF WILDLIFE.

4) TEMPORARY DISTURBANCE OF LIVESTOCK.

5) MINOR AND SHORT-TERM VISUAL IMPACTS.

6)

6. DETERMINATION:

(THIS REQUESTED ACTION ~~DOES~~ (DOES NOT) CONSTITUTE A MAJOR FEDERAL ACTION SIGNIFICANTLY AFFECTING THE ENVIRONMENT IN THE SENSE OF NEPA, SECTION 102(2) (C).

DATE INSPECTED 9-2-77

INSPECTOR A.R. East

W.P. Mouton
U. S. GEOLOGICAL SURVEY
CONSERVATION DIVISION - OIL & GAS OPERATIONS
SALT LAKE CITY DISTRICT

District Notified CONSERVATION DIVISION
Mailed to D.E.

To: District Engineer,

NID

[illegible]

Competency of beds at proposed casing setting points: OK

Additional logs or samples needed: none

* Where applicable note:

1. Potential oil and gas productive zones
2. Zones bearing fresh water
3. Possible lost circulation zones
4. Zones with abnormal pressure
5. Zones with abnormal temperature
6. Other minerals such as coal, oil shale, potash, etc.

Signed:

Geologist

Date: 8/14/77

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Form 9-329 Rev. Feb 76
OMB 42-RO356

MONTHLY REPORT
OF
OPERATIONS

Lease No. 71-02148

Communitization Agreement No. _____
Field Name Red Wash
Unit Name Red Wash Unit
Participating Area _____
County Uintah State Utah
Operator Chevron U.S.A. Inc.


☐ Amended Report

The following is a correct report of operations and production (including status of all unplugged wells) for the month of December, 19 77

(See Reverse of Form for Instructions)

This report is required by law (30 U.S.C. 189, 30 U.S.C. 359, 25 U.S.C. 396 d), regulation (30 CFR 221.60), and the terms of the lease. Failure to report can result in the assessment of liquidated damages (30 CFR 221.54 (j)), shutting down operations, or basis for recommendation to cancel the lease and forfeit the bond (30 CFR 221.53).

Well No.	Sec. & 1/4 of 1/4	TWP	RNG	Well Status	Days Prod.	*Barrels of Oil	*MCF of Gas	*Barrels of Water	Remarks
230	18, SW 1/4 SW 1/4	7S	24E	DRG	0	0	0	0	TD 5,800' Completion rig on well on 12/31/77.



*If none, so state.

Disposition of production (Lease, Participating Area, or Communitized Area basis)

Oil & Condensate (BBLs)

Gas (MCF)

Water (BBLs)

*On hand, Start of Month
*Produced
*Sold
*Spilled or Lost
*Flared or Vented
*Used on Lease
*Injected
*Surface Pits
*Other (Identify)
*On hand, End of Month
*API Gravity/BTU Content

0
0
0
0
XXXXXXXXXXXXXXXXXXXX
0
0
XXXXXXXXXXXXXXXXXXXX
0
0
XXXXXXXXXXXXXXXXXXXX
0
0
0

XXXXXXXXXXXXXXXXXXXX
0
XXXXXXXXXXXXXXXXXXXX
0
0
XXXXXXXXXXXXXXXXXXXX
0
0
XXXXXXXXXXXXXXXXXXXX
0

XXXXXXXXXXXXXXXXXXXX
0
XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXX
0
0
XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXX

Authorized Signature: [Signature]

Address: P. O. Box 599, Denver CO 80201

Title: Engineering Assistant

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

13

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> Other _____				5. LEASE DESIGNATION AND SERIAL NO. U-02148	
b. TYPE OF COMPLETION: NEW WELL <input checked="" type="checkbox"/> WORK OVER <input type="checkbox"/> DEEP-EN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> Other _____				6. IF INDIAN, ALLOTTEE OR TRIBE NAME D	
2. NAME OF OPERATOR Chevron U.S.A. Inc.				7. UNIT AGREEMENT NAME Red Wash Unit	
3. ADDRESS OF OPERATOR P. O. Box 599, Denver, CO 80201				8. FARM OR LEASE NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements) At surface 824' FWL & 893' FSL At top prod. interval reported below At total depth				9. WELL NO. 230 (14-18C)	
10. FIELD AND POOL, OR WILDCAT Red Wash - Green River				11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA Sec 18, T7S, R24E, SLB&M	
14. PERMIT NO.				12. COUNTY OR PARISH Huntah	
15. DATE SPUDDED 10-22-77		16. DATE T.D. REACHED 11-12-77		13. STATE	
17. DATE COMPL. (Ready to prod.) Feb. 3, 1978		18. ELEVATIONS (DF, REB, RT, GR, ETC.)* KB 5690		19. ELEV. CASINGHEAD	
20. TOTAL DEPTH, MD & TVD 5800		21. PLUG, BACK T.D., MD & TVD 5723		22. IF MULTIPLE COMPL., HOW MANY*	
23. INTERVALS DRILLED BY →		ROTARY TOOLS YES		CABLE TOOLS	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 4819-5590 (OA) Green River Fm.				25. WAS DIRECTIONAL SURVEY MADE NO	
26. TYPE ELECTRIC AND OTHER LOGS RUN GR-CNL-FDC-CAL SP DIL				27. WAS WELL CORED NO	
28. CASING RECORD (Report all strings set in well)					
CASING SIZE		WEIGHT, LB./FT.		DEPTH SET (MD)	
8-5/8"		24#		316	
5-1/2"		15.5#		5800	
HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
12-1/4"		200 sx C/G			
7-7/8"		440 sx Pozmix			
29. LINER RECORD					
SIZE		TOP (MD)		BOTTOM (MD)	
SACKS CEMENT*		SCREEN (MD)			
30. TUBING RECORD					
SIZE		DEPTH SET (MD)		PACKER SET (MD)	
2-7/8"		5722			
31. PERFORATION RECORD (Interval, size and number) See Attachment -					
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.					
DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED			
5590-4819		98,000 gals K-1 Super Emulsifrac, 20,000# 100 mesh sand, 144,000# 20/40 sand.			
33.* PRODUCTION					
DATE FIRST PRODUCTION Feb. 4, 1978		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Pumping 10x144x1-3/4			WELL STATUS (Producing or shut-in) Producing
DATE OF TEST 2/9/78		HOURS TESTED 24		CHOKE SIZE ---	
PROD'N. FOR TEST PERIOD →		OIL—BBL. 257		GAS—MCF. 365	
WATER—BBL. 208		GAS-OIL RATIO 1420			
FLOW. TUBING PRESS.		CASING PRESSURE		CALCULATED 24-HOUR RATE →	
OIL—BBL.		GAS—MCF.		WATER—BBL.	
				OIL GRAVITY-API (CORR.) 28.5	
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold				TEST WITNESSED BY	
35. LIST OF ATTACHMENTS Perforation and acid					
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records					
SIGNED <u>J. J. Johnson</u>		TITLE <u>Engineering Assistant</u>		DATE <u>3/9/78</u>	

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
NO DST's nor	CORES		

38.

GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Uinta Fm	Surface	
Green River Fm	2822	

PERFORATION DETAIL

5574-90	3 Shots/ft.
5567-71	"
5557-64	"
5543-48	"
5522-28	"
5513-19	"
5506-09	"
5486-5500	"
5450-5456	"
5461-5468	"
5010-21	"
4819-32	"

ACID DETAIL

5543-90 1800 gals 15% HCl, 300# Napthalene-benzoic acid mix (5543-5590).
5486-5528 - 1700 gals 15% HCl, 300# Napthalene-benzoic acid
5450-5468 - 800 gals 15% HCl, 300# Napthalene-benzoic acid
5010-21 - 800 gals 15% HCl, 300# Napthalene-benzoic acid
4819-32 - 700 gals 15% HCl, 300# Napthalene-benzoic acid



SCOTT M. MATHESON
Governor



OIL, GAS, AND MINING BOARD

GORDON E. HARMSTON
Executive Director,
NATURAL RESOURCES

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING
1588 West North Temple
Salt Lake City, Utah 84116
(801) 533-5771

I. DANIEL STEWART
Chairman

CHARLES R. HENDERSON
JOHN L. BELL
THADIS W. BOX
C. RAY JUVELIN

CLEON B. FEIGHT
Director

March 27, 1978

Chevron USA Inc.
P. O. Box 599
Denver, Colorado 80201

Re: Red Wash Unit 230 (14-18C)
Sec. 18, T. 7S, R. 24E,
Uintah County, Utah

Gentlemen:

This letter is to advise you that the electric and/or radioactivity logs for the above referred to well are due and have not been filed with this office as required by our rules and regulations.

If electric and/or radioactivity logs were not run on said well, please make a statement to this effect in order that our records may be kept accurate and complete.

Thank your for your cooperation relative to the above.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

Kathy Avila

KATHY AVILA
RECORDS CLERK

Q

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other ☐
2. NAME OF OPERATOR
Chevron U.S.A. Inc.
3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, CO 80201
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 567' FWL & 789' FSL (SW $\frac{1}{4}$ SW $\frac{1}{4}$)
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

- REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:
- | | | |
|----------------------------|--------------------------|--------------------------|
| TEST WATER SHUT-OFF | <input type="checkbox"/> | <input type="checkbox"/> |
| FRACTURE TREAT | <input type="checkbox"/> | <input type="checkbox"/> |
| SHOOT OR ACIDIZE | <input type="checkbox"/> | <input type="checkbox"/> |
| REPAIR WELL | <input type="checkbox"/> | <input type="checkbox"/> |
| PULL OR ALTER CASING | <input type="checkbox"/> | <input type="checkbox"/> |
| MULTIPLE COMPLETE | <input type="checkbox"/> | <input type="checkbox"/> |
| CHANGE ZONES | <input type="checkbox"/> | <input type="checkbox"/> |
| ABANDON* | <input type="checkbox"/> | <input type="checkbox"/> |
| (other) Repair Casing Part | | |

5. LEASE
U-02148
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
Red Wash Unit
8. FARM OR LEASE NAME
9. WELL NO.
RWU 230 (14-18C)
10. FIELD OR WILDCAT NAME
Red Wash-Green River
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 18, T7S, R24E, SLBM
12. COUNTY OR PARISH
Uintah
13. STATE
Utah
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
ATTACHED 5668

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

DIVISION OF
OIL, GAS & MINING

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to repair the casing as per attached procedure.

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE: 6-1-81
BY: M.T. Minder

3-USGS
2-State
3-Partners
1-JAH
1-Sec. 723
1-File

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Arlene F. Bush TITLE Engineering Asst. DATE May 19, 1981

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

RWU #230 (14-18C)
CRDI-2467
May 19, 1981
PAGE 2

PERTINENT DATA:

KB - 5690'
TD - 5800'
PBTD - 5724' (McCullough)
Casings: 8-5/8" K-55 set at 316'
5-1/2" #/ft. K-55 set at 5800'

TUBING DETAIL:

172 jts. 2-7/8" tubing (3/12/79)

PERFORATIONS: (3 shots/ft)

5574-90	5522-28	5461-68
5567-71	5513-19	5450-56
5557-64	5506-09	5010-21
5543-48	5486-5500	4809-32

WELL HISTORY:

1/14/78 - Initial completion. Performed 5 - stage Bradenhead frac at + 45 BPM and 3500 psi (max.). (Pressure tested casing to \pm 4000 psi) IP - 28 BOPD 344 BWPD
7/25/78 - Converted to BJ pump.
3/13/79 - Converted back to rod pump.

PROCEDURE:

1. POOH with tubing and rods.
2. Rig up McCullough and run casing inspection log from \pm 4800' to surface. Notify Denver Engineer of results.
3. If casing is parted, casing will then be cement squeezed.
4. RIH with packer and pressure test backside to \pm 2000 psi.
5. RIH with tubing. Land pump at \pm 5500'.
6. Place well on production.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐
2. NAME OF OPERATOR
Chevron U.S.A. Inc.
3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, CO 80201
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 567' FWL & 789' FSL SW $\frac{1}{2}$ SW $\frac{1}{2}$
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other) <u>Checking for casing leaks</u>			

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

On April 30, 1981, a workover rig was moved onto well to check for casing leaks as follows:

1. MIR & RU. POOH W/RODS, Tubing & Pump.
2. RU McCullough, ran calibration and bond log. No indication of casing leaks.
3. RIH W/Packer, SET AT 3231', tested CSG to 2000 psi, tested OK.
4. RIH W/Tubing, rods and pump.
5. Placed well on production.

3-BLM
2-State
3-Partners
1-JAH
1-LJT
1-File



Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Engineering Asst. DATE July 13, 1983

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:


BWU 230
14-18C

Sec 18 T 75 R 24 E

Kubly 10/25/88

N

pumpjack



wellhead

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-1135
Expires September 30, 1990

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☐ Gas Well ☒ Other "H" Station

2. Name of Operator

Chevron U.S.A. Inc., Room 13097

3. Address and Telephone No.

P.O. Box 599, Denver, CO 80201 (303) 930-3691

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NE $\frac{1}{4}$ SE $\frac{1}{4}$
Sec. 13, T7S, R23E T7S R24E S18

5. Lease Designation and Serial No.

U-081

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

Red Wash

8. Well Name and No.

"H" Station

9. API Well No.

4304730309

10. Field and Pool, or Exploratory Area

Red Wash

11. County or Parish, State

Uintah, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection

Venting

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

It may be necessary to vent all produced gas at "H" Station due to CO₂ breakthrough at the following locations: 32-13B, 42-13B, 12-18C, 22-18C, 23-18C, 34-18C, 24-18C, 14-18C, 44-13B, 34-13B, 21-24B, 24-13B, 23-13B, 33-13B. This is needed to prevent loss of gas sales due to an off-spec. situation. The gas would need to be vented until the CO₂ levels subside enough to allow the gas to be returned to the system.

A subsequent report of total volumes will follow.

ACCEPTED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE:

BY:

3-BLM
3-State
1-JRB
1-GAP
1-Cent. File
1-JLW

Federal approval of this action is required before commencing operations.

14. I hereby certify that the foregoing is true and correct

Signed

Title

Technical Assistant

Date 9/21/90

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil

Gas



Well



Well



Other

2. Name of Operator

CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.

11002 E. 17500 S. VERNAL, UT 84078-8526

Steve McPherson in Red Wash (801) 781-4310

or Gary Scott in Rangely, CO. (970) 675-3791

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

893' FSL & 824' FWL (SW SW) SECTION 18, T7S, R24E, SLBM

5. Lease Designation and Serial No.

U-02148

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

RED WASH UNIT

8. Well Name and No.

RED WASH UNIT 230

9. API Well No.

43-047-30309

10. Field and Pool, or Exploratory Area

RED WASH - GREEN RIVER

11. County or Parish, State

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION



Notice of Intent



Subsequent Report



Final Abandonment Notice

TYPE OF ACTION



Abandonment



Recompletion



Plugging Back



Casing Repair



Altering Casing



Other ADDED PERFORATIONS



Change of Plans



New Construction



Non-Routine Fracturing



Water Shut-Off



Conversion to Injection



Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

1. MIRU. HOT OIL AS NEEDED. TOH WITH RODS AND PUMP.

2. ND WH AND NU BOPE. RELEASE TUBING ANCHOR AND TOH.

3. MAKE BIT AND SCRAPER RUN TO ~ 5500'.

4. SET CIBP AT ~ 5425' AND CAP WITH 2 SXS CEMENT TO EXCLUDE ALL EXISTING PERFORATIONS.

5. PU RETRIEVABLE PACKER AND HYDROTEST IN HOLE TO ~ 3000 PSI. SET PACKER AT ~ 4400' AND PRESSURE TEST ANNULUS TO ~ 500 PSI.

6. PERFORATE THE FOLLOWING INTERVALS THROUGH TUBING USING 4 JSPF, DECENTRALIZED, 0 DEGREE PHASING, MAXIMUM AVAILABLE CHARGE. DEPTHS ARE FROM SCHLUMBERGER ELECTRIC LOG DATED 11/12/77.

5194-5209' Je

4754-58' Hc

4684-89' H

4543-47' Gh

4518-21' Gf

4511-14' Ge

4484-88' Gc

7. SWAB/FLOW TEST AND EVALUATE. WELL MAY KICK OFF FLOWING BUT WILL REQUIRE ROD PUMPING IN THE FUTURE. IF RESULTS WARRANT, PLAN ON KILLING THE WELL AND RUNNING ROD EQUIPMENT.

8. RDMO. INSTALL SURFACE EQUIPMENT AS REQUIRED AND RETURN TO PRODUCTION.

14. I hereby certify that the foregoing is true and correct.

Signed G.D. SCOTT

Title DRILLING TECHNICIAN

Date January 26, 1996

(This space for Federal or State office use)

Approved by:

Title

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

25 1996

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir

Use "APPLICATION FOR PERMIT--" for such proposals

OF OIL, GAS & MINING

U-02148

SUBMIT IN TRIPLICATE

1. Type of Well

Oil

Gas



Well



Well



Other

2. Name of Operator

CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.

11002 E. 17500 S. VERNAL, UT 84078-8526

Steve McPherson in Red Wash (801) 781-4310

or Gary Scott in Rangely, CO. (970) 675-3791

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

893' FSL & 824' FWL (SW SW) SECTION 18, T7S, R24E, SLBM

5. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

RED WASH UNIT

8. Well Name and No.

RED WASH UNIT 230

9. API Well No.

43-047-30309

10. Field and Pool, or Exploratory Area

RED WASH - GREEN RIVER

11. County or Parish, State

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION



Notice of Intent



Subsequent Report



Final Abandonment Notice

TYPE OF ACTION



Abandonment



Recompletion



Plugging Back



Casing Repair



Altering Casing



Other ADDED PERFORATIONS



Change of Plans



New Construction



Non-Routine Fracturing



Water Shut-Off



Conversion to Injection



Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

DATE OF WORK: 3/8/96 THRU 3/13/96

1. MIRU. TOH WITH RODS AND PUMP.

2. ND WH AND NU BOPE. RELEASE TUBING ANCHOR AND TOH.

3. MAKE BIT AND SCRAPER RUN TO 5517'.

4. SET CIBP AT 5440' AND CAP WITH 10' CEMENT TO EXCLUDE ALL EXISTING PERFORATIONS.

5. PU RETRIEVABLE PACKER AND HYDROTEST IN HOLE TO 6000 PSI. SET PACKER AT 4419' AND PRESSURE TEST ANNULUS TO 1000 PSI.

6. PERFORATED THE FOLLOWING INTERVALS THROUGH TUBING USING 4 JSPF, DECENTRALIZED, 0 DEGREE PHASING, MAXIMUM AVAILABLE CHARGE. DEPTHS ARE FROM SCHLUMBERGER ELECTRIC LOG DATED 11/12/77.

5194-5209' Je

4754-58' Hc

4684-89' H

4543-47' Gh

4518-21' Gf

4511-14' Ge

4484-88' Gc

7. POOH WITH PACKER. RUN IN HOLE WITH PRODUCTION EQUIPMENT TO PUMP.

8. RDMO.

14. I hereby certify that the foregoing is true and correct.

Signed G.D. SCOTT

Title DRILLING TECHNICIAN

Date March 21, 1996

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil

Gas

☒

Well

☐

Well

☐

Other

2. Name of Operator

CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No

11002 E. 17500 S. VERNAL, UT 84078-8526

(801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

893' FSL & 824' FWL (SW SW) SECTION 18, T7S, R24E, SLBM

5. Lease Designation and Serial No.

U-02148

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

RED WASH UNIT

8. Well Name and No.

RED WASH UNIT 230 14-18C

9. API Well No.

43-047-30309

10. Field and Pool, or Exploratory Area

RED WASH - GREEN RIVER

11. County or Parish, State

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒

Notice of Intent

☐

Subsequent Report

☐

Final Abandonment Notice

TYPE OF ACTION

☐

Abandonment

☐

Recompletion

☐

Plugging Back

☐

Casing Repair

☐

Altering Casing

☒

Other TA STATUS OF WELL

☐

Change of Plans

☐

New Construction

☐

Non-Routine Fracturing

☐

Water Shut-Off

☐

Conversion to Injection


☐

Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

CHEVRON IS REQUESTING A TA STATUS ON THE ABOVE WELL. THIS WELL HAS POTENTIAL FUTURE USE IN RECONFIGURED PATTERN WATERFLOOD.



14. I hereby certify that the foregoing is true and correct.

Signed

D.C. Tanner

Title

COMPUTER SYSTEMS OPERATOR

Date

12/10/97

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil

Gas



Well



Well



Other

2. Name of Operator

CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No

11002 E. 17500 S. VERNAL, UT 84078-8526

(801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

893' FSL & 824' FWL (SW SW) SECTION 18, T7S, R24E, SLBM

5. Lease Designation and Serial No.

U-02148

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

RED WASH UNIT

8. Well Name and No.

RED WASH UNIT 230 14-18C

9. API Well No.

43-047-30309

10. Field and Pool, or Exploratory Area

RED WASH - GREEN RIVER

11. County or Parish, State

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION



Notice of Intent



Subsequent Report



Final Abandonment Notice

TYPE OF ACTION



Abandonment



Recompletion



Plugging Back



Casing Repair



Altering Casing



Other TA STATUS FOR WELL



Change of Plans



New Construction



Non-Routine Fracturing



Water Shut-Off



Conversion to Injection




Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

WE REQUEST A TA STATUS APPROVAL FOR THIS WELL.

WE PLAN TO RE-EVALUATE THIS WELL FOR POSSIBLE FUTURE WATER INJECTION SERVICE.



14. I hereby certify that the foregoing is true and correct.

Signed D. C. BEAMAN

D. C. Beaman

Title COMPUTER SYSTEMS OPERAOTR

Date 3/18/1999

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well Oil <input type="checkbox"/> Gas <input type="checkbox"/> Well <input type="checkbox"/> Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> MULTIPLE WELLS SEE ATTACHED LIST	5. Lease Designation and Serial No. 6. If Indian, Allottee or Tribe Name N/A
2. Name of Operator CHEVRON U.S.A. INC.	7. If Unit or CA, Agreement Designation RED WASH UNIT I-SEC NO 761
3. Address and Telephone No 11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300	8. Well Name and No. 9. API Well No. 10. Field and Pool, or Exploratory Area RED WASH - GREEN RIVER
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	11. County or Parish, State UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>CHANGE OF OPERATOR</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As of January 1, 2000 Chevron U.S.A. INC. resigns as Operator of the Red Wash Unit.
The Unit Number is I-SEC NO 761 effective October 31, 1950.

The successor operator under the Unit Agreement will be
Shenandoah Energy Inc.
475 17th Street, Suite 1000
Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

Shenandoah Energy Inc.

By: Mitchell L. Solich
Mitchell L. Solich
President

RECEIVED

DEC 30 1999

DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.
Signed A. E. Wacker A. E. Wacker Title Assistant Secretary Date 12/29/99

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____
Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

FEB 07 2000

IN REPLY REFER TO
UT-931

DIVISION OF
OIL, GAS AND MINING

February 4, 2000

Shenandoah Energy Inc.
Attn: Rae Cusimano
475 17th Street, Suite 1000
Denver, Colorado 80202

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.

bcc: Field Manager - Vernal (w/enclosure)

Minerals Adjudication Group U-932
File - Red Wash Unit (w/enclosure)
MMS - Data Management Division
Agr. Sec. Chron
Fluid Chron

UT931:TAThompson:tt:2/4/00

Well Status Report
Utah State Office
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
UTU081	4304715293	191 (12-27B) RED WAS NENW	14	T	7S	R23E	P+A	CHEVRON U S A INCORPORATED
UTU0570	4304715294	192 (41-33A) RED WAS NENE	33	T	7S	R22E	POW	CHEVRON U S A INCORPORATED
UTU082	4304715295	193 (43-24B) RED WAS NESE	24	T	7S	R23E	PGW	CHEVRON U S A INCORPORATED
UTU081	4304715296	194 (12-14B) RED WAS SWNW	14	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU02148	4304715297	195 (43-18C) RED WAS NESE	18	T	7S	R24E	ABD	CHEVRON U S A INCORPORATED
UTU02148	4304715298	196 (23-17C) RED WAS NESW	17	T	7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU080	4304715299	197 (43-21C) RED WAS NESE	21	T	7S	R24E	ABD	CHEVRON U S A INCORPORATED
UTU02060	4304715300	198 (21-33B) RED WAS NENW	33	T	7S	R23E	ABD	CHEVRON U S A INCORPORATED
UTU0559	4304715301	199 (43-22A) RED WAS NESE	22	T	7S	R22E	WIW	CHEVRON U S A INCORPORATED
UTU082	4304716472	2 (14-24B) RED WASH SWSW	24	T	7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU02025	4304715149	20 (41-29B) RED WASH NENE	29	T	7S	R23E	P+A	CHEVRON U S A INCORPORATED
UTSL071965	4304715302	201 (32-28C) RED WAS SWNE	28	T	7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU0558	4304715303	202 (21-34A) RED WAS NENW	34	T	7S	R22E	WIWSI	CHEVRON U S A INCORPORATED
UTU093	4304715304	203 (32-26C) RED WAS SWNE	26	T	7S	R24E	P+A	CHEVRON U S A INCORPORATED
UTU0561	4304715305	204 (23-25A) RED WAS NESW	25	T	7S	R22E	POW	CHEVRON U S A INCORPORATED
UTU080	4304715306	205 (23-21C) RED WAS NESW	21	T	7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU093	4304715307	206 (32-23C) RED WAS SWNE	23	T	7S	R24E	P+A	CHEVRON U S A INCORPORATED
UTSL066791	4304715308	208 (32-22C) RED WAS SWNE	22	T	7S	R24E	ABD	CHEVRON U S A INCORPORATED
UTSL071963	4304715309	209 (32-34C) RED WAS SWNE	34	T	7S	R24E	P+A	CHEVRON U S A INCORPORATED
UTU081	4304715150	21 (32-14B) RED WASH SWNE	14	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0826	4304720014	212 (41-8F) RED WASH NENE	8	T	8S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU02060	4304720060	213 (41-33B) RED WAS NENE	33	T	7S	R23E	WIWSI	CHEVRON U S A INCORPORATED
UTSL071965	4304720136	214 (14-27C) RED WAS SWSW	27	T	7S	R24E	ABD	CHEVRON U S A INCORPORATED
UTU0558	4304730058	215 (43-28A) RED WAS NESE	28	T	7S	R22E	WIW	CHEVRON U S A INCORPORATED
UTU0558	4304730103	216 (21-27A) RED WAS NENW	27	T	7S	R22E	WIW	CHEVRON U S A INCORPORATED
UTU0558	4304730106	218 (12-34A) RED WAS SWNW	34	T	7S	R22E	ABD	CHEVRON U S A INCORPORATED
UTU080	4304730149	219 (44-21C) RED WAS SESE	21	T	7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU02148	4304716483	22 (41-18C) RED WASH NENE	18	T	7S	R24E	P+A	CHEVRON U S A INCORPORATED
UTU082	4304730192	220 (22-23B) RED WAS SENW	23	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0933	4304730199	221 (13-27B) RED WAS NWSW	27	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304730200	222 (31-27B) RED WAS NWNE	27	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0559	4304730201	223 (44-21A) RED WAS SESE	21	T	7S	R22E	P+A	CHEVRON U S A INCORPORATED
UTU081	4304730202	224 (44-22B) RED WAS SESE	22	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304730212	225 (13-23B) RED WAS NWSW	23	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304730249	226 (24-33B) RED WAS SESW	23	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304730257	227 (14-26B) RED WAS SWSW	26	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU02025	4304730258	228 (21-34B) RED WAS NENW	34	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304730259	229 (43-26B) RED WAS NESE	26	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304715151	23 (21-23B) RED WASH NENW	23	T	7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU02148	4304730309	230 (14-18C) RED WAS SWSW	18	T	7S	R24E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304730310	231 (21-35B) RED WAS NENW	35	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304730311	232 (12-26B) RED WAS SWNW	26	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0823	4304730312	233 (12-25B) RED WAS SWNW	25	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304730313	234 (32-24B) RED WAS SWNE	24	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU02148	4304730314	235 (34-18C) RED WAS SWSE	18	T	7S	R24E	POW	CHEVRON U S A INCORPORATED
UTU02149	4304730340	236 (21-19C) RED WAS NENW	19	T	7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU0823	4304730341	237 (14-25B) RED WAS SWSW	25	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304730342	238 (32-35B) RED WAS SWNE	35	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304730343	239 (41-35B) RED WAS NENE	35	T	7S	R23E	TA	CHEVRON U S A INCORPORATED

Well Status Report
Utah State Office
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
UTU081	4304715152	24 (34-14B) RED WASH SWSE	14	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304730344	240 (12-36B) RED WAS SWNW	36	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304730345	241 (22-14B) RED WAS SENW	14	T	7S	R23E	PGW	CHEVRON U S A INCORPORATED
UTU081	4304730346	242 (42-13B) RED WAS SENE	13	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU02148	4304730347	243 (42-18C) RED WAS SENE	18	T	7S	R24E	POW	CHEVRON U S A INCORPORATED
UTU02149	4304730348	244 (23-19C) RED WAS NESW	19	T	7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTSL071964	4304730349	245 (14-30C) RED WAS SWSW	30	T	7S	R24E	ABD	CHEVRON U S A INCORPORATED
UTU02148	4304730387	246 (22-18C) RED WAS SENW	18	T	7S	R24E	POW	CHEVRON U S A INCORPORATED
UTU02148	4304730388	247 (22-17C) RED WAS SENW	17	T	7S	R24E	PGW	CHEVRON U S A INCORPORATED
UTU02149	4304730389	248 (43-20C) RED WAS NESE	20	T	7S	R24E	ABD	CHEVRON U S A INCORPORATED
UTU082	4304716476	25 (23-23B) RED WASH NESW	23	T	7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTSL071965	4304730391	250 (41-29C) RED WAS NENE	29	T	7S	R24E	ABD	CHEVRON U S A INCORPORATED
UTU0559	4304730457	257 (21-23A) RED WAS NENW	23	T	7S	R22E	ABD	CHEVRON U S A INCORPORATED
UTU0559	4304730458	258 (34-22A) RED WAS SWSE	22	T	7S	R22E	WIW	CHEVRON U S A INCORPORATED
STATE	4304732785	259 SWSW	16	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304715153	26 (23-22B) RED WASH NESW	22	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
STATE	4304732786	260 SWSE	16	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304730517	262 (22-26B) RED WAS SENW	26	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304730518	263 (24-26B) RED WAS SESW	26	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304730519	264 (31-35B) RED WAS NWNE	35	T	7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU0566	4304730520	265 (44-26B) RED WAS SESE	26	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304730521	266 (33-26B) RED WAS NWSE	26	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0116	4304732981	267 SWNE	17	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304730522	269 (13-26B) RED WAS NWSW	26	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715154	27 (43-14B) RED WASH NESE	14	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304731082	270 (22-35B) RED WAS SENW	35	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304731081	271 (42-35B) RED WAS SENE	35	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304731054	272 (44-23B) RED WAS SESE	23	T	7S	R23E	PGW	CHEVRON U S A INCORPORATED
UTU0566	4304731051	273 (42-27B) RED WAS SENE	27	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0823	4304731083	274 (13-25B) RED WAS NWSW	25	T	7S	R23E	P+A	CHEVRON U S A INCORPORATED
UTU0566	4304731077	275 (31-26B) RED WAS NENW	26	T	7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU0566	4304731053	276 (44-27B) RED WAS SESE	27	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304731076	278 (11-26B) RED WAS NWNW	26	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
STATE	4304731052	279 (11-36B) RED WAS NWNW	36	T	7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU081	4304715155	28 (43-22B) RED WASH NESE	22	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304731079	280 (11-35B) RED WAS NWNW	35	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0823	4304731078	281 (11-25B) RED WAS NWNW	25	T	7S	R23E	ABD	CHEVRON U S A INCORPORATED
UTU0566	4304731080	282(42-26B) RED WAS SENE	26	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0116	4304732982	283 NESE	18	T	7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU082	4304731476	284 (33-23B) RED WAS NWSE	23	T	7S	R23E	PGW	CHEVRON U S A INCORPORATED
UTU082	4304731477	285 (11-24B) RED WAS NWNW	24	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0567	4304731478	286 (42-21B) RED WAS SENE	21	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304731512	287 (44-13B) RED WAS SESE	13	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU0566	4304731513	288 (24-27B) RED WAS SESW	27	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304731517	289 (13-24B) RED WAS NWSW	24	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU082	4304715156	29 (32-23B) RED WASH SWNE	23	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU082	4304731515	290 (12X-23B) RED WA SWNW	23	T	7S	R23E	ABD	CHEVRON U S A INCORPORATED
UTU082	4304731516	291 (22X-23B) RED WA SENW	23	T	7S	R23E	ABD	CHEVRON U S A INCORPORATED
UTU082	4304731576	292 (42-23B) RED WAS SENE	23	T	7S	R23E	TA	CHEVRON U S A INCORPORATED

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil	Gas
<input checked="" type="checkbox"/> Well	<input type="checkbox"/> Well <input type="checkbox"/> Other

2. Name of Operator

SHENANDOAH ENERGY, INC

3. Address and Telephone No

11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

893' FSL & 824' FWL (SW SW) SECTION 18, T7S, R24E, SLBM

5.	Lease Designation and Serial No.
	U-02148
6.	If Indian, Allottee or Tribe Name
	N/A
7.	If Unit or CA, Agreement Designation
	RED WASH UNIT
8.	Well Name and No.
	RED WASH UNIT 230 14-18C
9.	API Well No.
	43-047-30309
10.	Field and Pool, or Exploratory Area
	RED WASH - GREEN RIVER
11.	County or Parish, State
	UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION		TYPE OF ACTION	
<input type="checkbox"/>	Notice of Intent	<input type="checkbox"/>	Abandonment
<input checked="" type="checkbox"/>	Subsequent Report	<input type="checkbox"/>	Recompletion
<input type="checkbox"/>	Final Abandonment Notice	<input type="checkbox"/>	Plugging Back
		<input type="checkbox"/>	Casing Repair
		<input type="checkbox"/>	Altering Casing
		<input checked="" type="checkbox"/>	Other <u>TA STATUS FOR WELL</u>
		<input type="checkbox"/>	Change of Plans
		<input type="checkbox"/>	New Construction
		<input type="checkbox"/>	Non-Routine Fracturing
		<input type="checkbox"/>	Water Shut-Off
		<input type="checkbox"/>	Conversion to Injection
		<input type="checkbox"/>	Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

WE REQUEST A TA STATUS APPROVAL FOR THIS WELL.

WE PLAN TO RE-EVALUATE THIS WELL FOR POSSIBLE FUTURE WATER INJECTION SERVICE.

RECEIVED

APR 17 2000

DIVISION OF OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct.
Signed D. C. BEAMAN Title OFFICE MANAGER Date 04/13/00

(This space for Federal or State office use)

Approved by:

Title

Approved by: _____ Title _____
The Extension for Shut-in or Temporarily Abandonment may be issued, in accordance with
 OCS-001-10-001

Accepted by the

Utah Division of

~~1. This permit is issued by the Division of Oil, Gas & Mining of~~

Oil, Gas & Mining

Under 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

representations as to any matter within its jurisdiction.

M. Hebertson

10-Mar-2000

***See instruction on Reverse Side**

COPY SENT TO OPERATOR

Dater:

Initiator:

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH		4-KAS
2. CDW	✓	5-SW
3. JLT		6-FILE

Enter date after each listed item is completed

X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:

01-01-2000**FROM:** (Old Operator):

CHEVRON USA INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078-8526

Phone: 1-(435)-781-4300

Account No. N0210

TO: (New Operator):

SHENANDOAH ENERGY INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078

Phone: 1-(435)-781-4300

Account N4235

CA No.

Unit: RED WASH

WELL(S)

NAME	API NO.	ENTITY NO.	SEC. TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
RWU 242 (42-13B)	43-047-30346	5670	13-07S-23E	FEDERAL	OW	P
RWU 24 (34-14B)	43-047-15152	5670	14-07S-23E	FEDERAL	OW	P
RWU 241 (22-14B)	43-047-30345	5670	14-07S-23E	FEDERAL	GW	P
RWU 229 (43-26B)	43-047-30259	5670	26-07S-23E	FEDERAL	OW	TA
RWU 231 (21-35B)	43-047-30310	5670	35-07S-23E	FEDERAL	OW	TA
RWU 234 (32-24B)	43-047-30313	5670	24-07S-23E	FEDERAL	OW	P
RWU 233 (12-25B)	43-047-30312	5670	25-07S-23E	FEDERAL	OW	TA
RWU 237 (14-25B)	43-047-30341	5670	25-07S-23E	FEDERAL	OW	P
RWU 232 (12-26B)	43-047-30311	5670	26-07S-23E	FEDERAL	OW	TA
RWU 238 (32-35B)	43-047-30342	5670	35-07S-23E	FEDERAL	OW	P
RWU 239 (41-35B)	43-047-30343	5670	35-07S-23E	FEDERAL	OW	TA
RWU 240 (12-36B)	43-047-30344	5670	36-07S-23E	FEDERAL	OW	P
RWU 247 (22-17C)	43-047-30388	5670	17-07S-24E	FEDERAL	GW	P
RWU 230 (14-18C)	43-047-30309	5670	18-07S-24E	FEDERAL	OW	TA
RWU 235 (34-18C)	43-047-30314	5670	18-07S-24E	FEDERAL	OW	P
RWU 243 (42-18C)	43-047-30347	5670	18-07S-24E	FEDERAL	OW	TA
RWU 246 (22-18C)	43-047-30387	5670	18-07S-24E	FEDERAL	OW	P
RWU 236 (21-19C)	43-047-30340	5670	19-07S-24E	FEDERAL	GW	P
RWU 244 (23-19C)	43-047-30348	5670	19-07S-24E	FEDERAL	GW	P
RWU 248 (43-20C)	43-047-30389	5670	20-07S-24E	FEDERAL	GW	PA
RWU 250 (41-29C)	43-047-30391	5670	29-07S-24E	FEDERAL	GW	PA
RWU 245 (14-30C)	43-047-30349	5670	30-07S-24E	FEDERAL	GW	PA

OPERATOR CHANGES DOCUMENTATION1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on:12-30-19992. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on:08-09-2000

3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 08-23-2000
4. Is the new operator registered in the State of Utah: YES Business Number: 224885
5. If **NO**, the operator was contacted on: _____
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 02/04/2000
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 02/04/2000
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC") Pro:** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 09/19/2000
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 09/19/2000
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: N/A

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

FILMING:

1. All attachments to this form have been **MICROFILMED** on: 3.2.01

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filed in each well file on: _____

COMMENTS:



Questar Exploration and Production Company
Independence Plaza
1050 17th Street, Suite 500
Denver, CO 80265
Tel 303 672 6900 • Fax 303 294 9632

Denver Division

May 28, 2003

Division of Oil, Gas, & Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,

Frank Nielsen
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING

SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RED WASH 22-21B	21	070S	230E	4304733522	5670	Federal	OW	TA	
RED WASH 24-20B	20	070S	230E	4304733523	5670	Federal	OW	P	
RED WASH 305 (41-4F)	04	080S	240E	4304732538	5670	Federal	GW	TA	
RED WASH 306	23	070S	240E	4304732629	5670	Federal	GW	P	
RED WASH 44-19B	19	070S	230E	4304733524	5670	Federal	OW	P	
RED WASH 44-20B	20	070S	230E	4304733525	5670	Federal	OW	P	
RWU 1 (41-26B)	26	070S	230E	4304715135	5670	Federal	OW	TA	
RWU 10 (12-23B)	23	070S	230E	4304715141	5670	Federal	OW	TA	
RWU 101 (34-21B)	21	070S	230E	4304715220	5670	Federal	OW	P	
RWU 103 (34-15B)	15	070S	230E	4304715222	5670	Federal	OW	P	
RWU 108 (32-21B)	21	070S	230E	4304715226	5670	Federal	OW	P	
RWU 109 (21-28B)	28	070S	230E	4304715227	5670	Federal	OW	P	
RWU 110 (23-23A)	23	070S	220E	4304715228	5670	Federal	OW	P	
RWU 111 (32-24A)	24	070S	220E	4304715229	5670	Federal	OW	TA	
RWU 112 (32-28A)	28	070S	220E	4304715230	5670	Federal	OW	P	
RWU 115 (21-19B)	19	070S	230E	4304715233	5670	Federal	OW	P	
RWU 119 (43-29A)	29	070S	220E	4304715236	5670	Federal	OW	P	
RWU 120 (23-28B)	28	070S	230E	4304715237	5670	Federal	OW	TA	
RWU 121 (13-13B)	13	070S	230E	4304715238	5670	Federal	GW	P	
RWU 122 (24-14B)	14	070S	230E	4304715239	5670	Federal	OW	P	
RWU 125 (34-19B)	19	070S	230E	4304715242	5670	Federal	OW	TA	
RWU 126 (41-29A)	29	070S	220E	4304715243	5670	Federal	OW	P	
RWU 127 (12-19B)	19	070S	230E	4304715244	5670	Federal	OW	TA	
RWU 129 (14-15B)	15	070S	230E	4304715246	5670	Federal	OW	P	
RWU 13 (14-22B)	22	070S	230E	4304715143	5670	Federal	OW	TA	
RWU 133 (41-34B)	34	070S	230E	4304715250	5670	Federal	OW	P	
RWU 136 (43-19B)	19	070S	230E	4304715252	5670	Federal	OW	TA	
RWU 137 (34-28B)	28	070S	230E	4304715253	5670	Federal	GW	TA	
RWU 138 (41-30B)	30	070S	230E	4304715254	5670	Federal	OW	P	
RWU 140 (24-22B)	22	070S	230E	4304715255	5670	Federal	OW	P	
RWU 141 (11-27B)	27	070S	230E	4304715256	5670	Federal	OW	TA	
RWU 143 (33-14B)	14	070S	230E	4304715257	5670	Federal	OW	P	
RWU 144 (21-18B)	18	070S	230E	4304715258	5670	Federal	OW	TA	
RWU 145 (24-13B)	13	070S	230E	4304715259	5670	Federal	OW	TA	
RWU 147 (22-22B)	22	070S	230E	4304715260	5670	Federal	OW	TA	
RWU 15 (32-17C)	17	070S	240E	4304715145	5670	Federal	OW	P	
RWU 151 (42-14B)	14	070S	230E	4304715264	5670	Federal	OW	P	
RWU 153 (14-29B)	29	070S	230E	4304715265	5670	Federal	OW	P	
RWU 158 (32-30B)	30	070S	230E	4304715268	5670	Federal	OW	P	
RWU 160 (32-15B)	15	070S	230E	4304715270	5670	Federal	OW	P	
RWU 162 (12-20B)	20	070S	230E	4304715272	5670	Federal	OW	TA	
RWU 164 (12-28B)	28	070S	230E	4304715274	5670	Federal	OW	P	
RWU 165 (32-26B)	26	070S	230E	4304715275	5670	Federal	GW	TA	
RWU 167 (23-21B)	21	070S	230E	4304715277	5670	Federal	OW	S	
RWU 168 (23-24B)	24	070S	230E	4304715278	5670	Federal	OW	TA	
RWU 172 (21-30B)	30	070S	230E	4304715280	5670	Federal	OW	TA	
RWU 176 (31-28B)	28	070S	230E	4304715283	5670	Federal	OW	TA	
RWU 177 (42-28B)	28	070S	230E	4304715284	5670	Federal	OW	TA	
RWU 178 (22-13B)	13	070S	230E	4304715285	5670	Federal	OW	TA	
RWU 180 (31-23B)	23	070S	230E	4304715287	5670	Federal	OW	TA	
RWU 181 (34-30B)	30	070S	230E	4304715288	5670	Federal	OW	P	
RWU 184 (23-26B)	26	070S	230E	4304715290	5670	Federal	OW	TA	
RWU 188 (23-20B)	20	070S	230E	4304715291	5670	Federal	OW	TA	
RWU 19 (34-26B)	26	070S	230E	4304715148	5670	Federal	GW	TA	
RWU 192 (41-33A)	33	070S	220E	4304715294	5670	Federal	OW	P	
RWU 193 (43-24B)	24	070S	230E	4304715295	5670	Federal	GW	S	
RWU 194 (12-14B)	14	070S	230E	4304715296	5670	Federal	OW	S	
RWU 196 (23-17C)	17	070S	240E	4304715298	5670	Federal	GW	S	
RWU 201 (32-28C)	28	070S	240E	4304715302	5670	Federal	GW	P	
RWU 204 (23-25A)	25	070S	220E	4304715305	5670	Federal	OW	P	
RWU 205 (23-21C)	21	070S	240E	4304715306	5670	Federal	GW	TA	
RWU 207	17	070S	230E	4304732738	5670	Federal	OW	P	
RWU 21 (32-14B)	14	070S	230E	4304715150	5670	Federal	OW	P	
RWU 212 (41-8F)	08	080S	240E	4304720014	5670	Federal	GW	P	
RWU 21-24A	24	070S	220E	4304733592	5670	Federal	OW	P	

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 21-25A	25	070S	220E	4304733576	5670	Federal	OW	P	
RWU 219 (44-21C)	21	070S	240E	4304730149	5670	Federal	GW	P	
RWU 220 (22-23B)	23	070S	230E	4304730192	5670	Federal	OW	TA	
RWU 221 (13-27B)	27	070S	230E	4304730199	5670	Federal	OW	TA	
RWU 22-13A	13	070S	220E	4304733765	5670	Federal	OW	S	
RWU 22-19B	19	070S	230E	4304733559	5670	Federal	OW	P	
RWU 222 (31-27B)	27	070S	230E	4304730200	5670	Federal	GW	TA	
RWU 22-20B	20	070S	230E	4304733491	5670	Federal	OW	P	
RWU 22-25A	25	070S	220E	4304733786	5670	Federal	OW	P	
RWU 22-29B	29	070S	230E	4304733766	5670	Federal	OW	S	
RWU 224 (44-22B)	22	070S	230E	4304730202	5670	Federal	GW	TA	
RWU 225 (13-23B)	23	070S	230E	4304730212	5670	Federal	GW	TA	
RWU 226 (24-23B)	23	070S	230E	4304730249	5670	Federal	GW	S	
RWU 227 (14-26B)	26	070S	230E	4304730257	5670	Federal	OW	TA	
RWU 228 (21-34B)	34	070S	230E	4304730258	5670	Federal	OW	P	
RWU 229 (43-26B)	26	070S	230E	4304730259	5670	Federal	OW	TA	
RWU 230 (14-18C)	18	070S	240E	4304730309	5670	Federal	OW	TA	
RWU 231 (21-35B)	35	070S	230E	4304730310	5670	Federal	OW	TA	
RWU 232 (12-26B)	26	070S	230E	4304730311	5670	Federal	OW	TA	
RWU 23-24A	24	070S	220E	4304733567	5670	Federal	OW	P	
RWU 233 (12-25B)	25	070S	230E	4304730312	5670	Federal	OW	TA	
RWU 234 (32-24B)	24	070S	230E	4304730313	5670	Federal	OW	P	
RWU 235 (34-18C)	18	070S	240E	4304730314	5670	Federal	OW	P	
RWU 236 (21-19C)	19	070S	240E	4304730340	5670	Federal	GW	P	
RWU 237 (14-25B)	25	070S	230E	4304730341	5670	Federal	OW	P	
RWU 238 (32-35B)	35	070S	230E	4304730342	5670	Federal	OW	TA	
RWU 239 (41-35B)	35	070S	230E	4304730343	5670	Federal	OW	TA	
RWU 24 (34-14B)	14	070S	230E	4304715152	5670	Federal	OW	P	
RWU 240 (12-36B)	36	070S	230E	4304730344	5670	Federal	OW	P	
RWU 241 (22-14B)	14	070S	230E	4304730345	5670	Federal	OW	P	
RWU 24-18B	18	070S	230E	4304733554	5670	Federal	OW	P	
RWU 24-19B	19	070S	230E	4304733492	5670	Federal	OW	P	
RWU 242 (42-13B)	13	070S	230E	4304730346	5670	Federal	OW	P	
RWU 243 (42-18C)	18	070S	240E	4304730347	5670	Federal	OW	TA	
RWU 244 (23-19C)	19	070S	240E	4304730348	5670	Federal	GW	P	
RWU 246 (22-18C)	18	070S	240E	4304730387	5670	Federal	OW	P	
RWU 247 (22-17C)	17	070S	240E	4304730388	5670	Federal	GW	P	
RWU 26 (23-22B)	22	070S	230E	4304715153	5670	Federal	OW	TA	
RWU 262 (22-26B)	26	070S	230E	4304730517	5670	Federal	GW	TA	
RWU 265 (44-26B)	26	070S	230E	4304730520	5670	Federal	GW	P	
RWU 267 (32-17B)	17	070S	230E	4304732981	5670	Federal	OW	P	
RWU 27 (43-14B)	14	070S	230E	4304715154	5670	Federal	OW	TA	
RWU 270 (22-35B)	35	070S	230E	4304731082	5670	Federal	OW	P	
RWU 272 (44-23B)	23	070S	230E	4304731054	5670	Federal	GW	P	
RWU 273 (42-27B)	27	070S	230E	4304731051	5670	Federal	OW	TA	
RWU 276 (44-27B)	27	070S	230E	4304731053	5670	Federal	OW	TA	
RWU 278 (11-26)	26	070S	230E	4304731076	5670	Federal	GW	TA	
RWU 28 (43-22B)	22	070S	230E	4304715155	5670	Federal	OW	P	
RWU 280 (11-35B)	35	070S	230E	4304731079	5670	Federal	OW	P	
RWU 282 (42-26B)	26	070S	230E	4304731080	5670	Federal	GW	TA	
RWU 284 (33-23B)	23	070S	230E	4304731476	5670	Federal	GW	TA	
RWU 285 (11-24B)	24	070S	230E	4304731477	5670	Federal	OW	P	
RWU 286 (42-21B)	21	070S	230E	4304731478	5670	Federal	OW	P	
RWU 287 (44-13B)	13	070S	230E	4304731512	5670	Federal	OW	TA	
RWU 288 (24-27)	27	070S	230E	4304731513	5670	Federal	OW	TA	
RWU 289 (13-24B)	24	070S	230E	4304731517	5670	Federal	OW	P	
RWU 29 (32-23B)	23	070S	230E	4304715156	5670	Federal	OW	P	
RWU 292 (42-23B)	23	070S	230E	4304731576	5670	Federal	GW	TA	
RWU 293 (22-22A)	22	070S	220E	4304731581	5670	Federal	OW	TA	
RWU 294 (24-18C)	18	070S	240E	4304731582	5670	Federal	GW	P	
RWU 295 (11-22B)	22	070S	230E	4304731577	5670	Federal	GW	TA	
RWU 296 (12-35B)	35	070S	230E	4304731578	5670	Federal	OW	P	
RWU 297 (24-15B)	15	070S	230E	4304731579	5670	Federal	OW	P	
RWU 298 (22-27B)	27	070S	230E	4304731679	5670	Federal	OW	TA	
RWU 299 (32-18B)	18	070S	230E	4304733018	5670	Federal	OW	P	

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 3 (34-23B)	23	070S	230E	4304715136	5670	Federal	OW	P	
RWU 30 (23-13B)	13	070S	230E	4304715157	5670	Federal	GW	TA	
RWU 301 (43-15B)	15	070S	230E	4304731682	5670	Federal	GW	S	
RWU 302 (22-24B)	24	070S	230E	4304731683	5670	Federal	GW	TA	
RWU 303 (34-17B)	17	070S	230E	4304731819	5670	Federal	OW	P	
RWU 31 (34-22B)	22	070S	230E	4304715158	5670	Federal	OW	P	
RWU 33 (14-14B)	14	070S	230E	4304715160	5670	Federal	GW	TA	
RWU 35 (43-13B)	13	070S	230E	4304715162	5670	Federal	OW	TA	
RWU 36 (32-13B)	13	070S	230E	4304715163	5670	Federal	GW	P	
RWU 38 (14-23B)	23	070S	230E	4304715165	5670	Federal	OW	P	
RWU 39 (14-24A)	24	070S	220E	4304715166	5670	Federal	OW	TA	
RWU 4 (41-22B)	22	070S	230E	4304715137	5670	Federal	OW	TA	
RWU 40 (21-24B)	24	070S	230E	4304715167	5670	Federal	OW	TA	
RWU 41 (34-13B)	13	070S	230E	4304715168	5670	Federal	OW	P	
RWU 41-24A	24	070S	220E	4304733769	5670	Federal	OW	P	
RWU 41-25A	25	070S	220E	4304733579	5670	Federal	OW	P	
RWU 42 (21-29C)	29	070S	240E	4304715169	5670	Federal	GW	P	
RWU 42-19B	19	070S	230E	4304733556	5670	Federal	OW	P	
RWU 42-20B	20	070S	230E	4304733490	5670	Federal	OW	P	
RWU 42-24A	24	070S	220E	4304733569	5670	Federal	OW	P	
RWU 42-25A	25	070S	220E	4304733580	5670	Federal	OW	S	
RWU 42-30B	30	070S	230E	4304733771	5670	Federal	OW	P	
RWU 43 (12-17B)	17	070S	230E	4304715170	5670	Federal	OW	P	
RWU 44 (32-33C)	33	070S	240E	4304715171	5670	Federal	GW	P	
RWU 44-18B	18	070S	230E	4304733594	5670	Federal	OW	P	
RWU 44-30B	30	070S	230E	4304733772	5670	Federal	OW	P	
RWU 45 (23-30B)	30	070S	230E	4304715172	5670	Federal	OW	TA	
RWU 46 (41-21C)	21	070S	240E	4304715173	5670	Federal	GW	TA	
RWU 49 (12-29B)	29	070S	230E	4304715175	5670	Federal	OW	TA	
RWU 5 (41-23B)	23	070S	230E	4304715138	5670	Federal	OW	P	
RWU 50 (14-23A)	23	070S	220E	4304715176	5670	Federal	OW	P	
RWU 52 (14-18B)	18	070S	230E	4304715178	5670	Federal	OW	TA	
RWU 53 (41-25A)	25	070S	220E	4304715179	5670	Federal	OW	TA	
RWU 57 (12-18C)	18	070S	240E	4304715183	5670	Federal	OW	P	
RWU 63 (21-22B)	22	070S	230E	4304715186	5670	Federal	GW	TA	
RWU 64 (32-27B)	27	070S	230E	4304715187	5670	Federal	OW	TA	
RWU 66 (34-18B)	18	070S	230E	4304715189	5670	Federal	OW	P	
RWU 67 (42-22B)	22	070S	230E	4304715190	5670	Federal	OW	TA	
RWU 69 (21-27B)	27	070S	230E	4304715191	5670	Federal	OW	TA	
RWU 70 (23-22A)	22	070S	220E	4304715192	5670	Federal	OW	P	
RWU 71 (21-18C)	18	070S	240E	4304715193	5670	Federal	OW	P	
RWU 72 (23-27B)	27	070S	230E	4304715194	5670	Federal	OW	TA	
RWU 74 (12-13B)	13	070S	230E	4304715196	5670	Federal	GW	P	
RWU 75 (21-26B)	26	070S	230E	4304715197	5670	Federal	OW	TA	
RWU 76 (32-18C)	18	070S	240E	4304715198	5670	Federal	GW	S	
RWU 77 (21-13B)	13	070S	230E	4304715199	5670	Federal	OW	P	
RWU 78 (32-28B)	28	070S	230E	4304715200	5670	Federal	OW	P	
RWU 79 (12-27B)	27	070S	230E	4304715201	5670	Federal	OW	TA	
RWU 8 (32-22B)	22	070S	230E	4304715139	5670	Federal	OW	P	
RWU 80 (14-27B)	27	070S	230E	4304715202	5670	Federal	OW	P	
RWU 81 (41-31B)	31	070S	230E	4304715203	5670	Federal	OW	P	
RWU 83 (41-27A)	27	070S	220E	4304715205	5670	Federal	OW	P	
RWU 84 (44-14B)	14	070S	230E	4304715206	5670	Federal	GW	P	
RWU 9 (43-23B)	23	070S	230E	4304715140	5670	Federal	OW	P	
RWU 90 (43-21B)	21	070S	230E	4304715211	5670	Federal	OW	P	
RWU 92 (11-23B)	23	070S	230E	4304715212	5670	Federal	OW	TA	
RWU 94 (12-22A)	22	070S	220E	4304715213	5670	Federal	OW	P	
RWU 99 (12-22B)	22	070S	230E	4304715218	5670	Federal	OW	P	
RED WASH UNIT 259	16	070S	230E	4304732785	5670	State	OW	P	
RED WASH UNIT 260	16	070S	230E	4304732786	5670	State	OW	P	
RWU 51 (12-16B)	16	070S	230E	4304715177	5670	State	OW	P	
RWU ST 189 (41-16B)	16	070S	230E	4304715292	5670	State	OW	P	
RED WASH UNIT 261	17	070S	230E	4304732739	5670	Federal	WI	A	
RWU 100-A (43-21A)	21	070S	220E	4304715219	5670	Federal	WI	A	

SEI (N4235) to QEP (N2460) RED WASH UNIT

well name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 102 (41-24A)	24	070S	220E	4304715221	5670	Federal	WI	A	
RWU 11	27	070S	230E	4304715142	5670	Federal	WI	A	
RWU 11-19B	19	070S	230E	4304733552	5670	Federal	WI	A	
RWU 11-20B	20	070S	230E	4304733553	5670	Federal	WI	A	
RWU 11-25A	25	070S	220E	4304733574	5670	Federal	WI	A	
RWU 11-29B	29	070S	230E	4304733590	5670	Federal	WI	A	
RWU 11-30B	30	070S	230E	4304733785	5670	Federal	WI	A	
RWU 12-24A	24	070S	220E	4304733591	5670	Federal	WI	A	
RWU 13-19B	19	070S	230E	4304733497	5670	Federal	WI	A	
RWU 13-20B	20	070S	230E	4304733498	5670	Federal	WI	A	
RWU 13-25A	25	070S	220E	4304733575	5670	Federal	WI	A	
RWU 14 (14-13B)	13	070S	230E	4304715144	5670	Federal	WI	A	
RWU 148 (13-22B)	22	070S	230E	4304715261	5670	Federal	WI	A	
RWU 150 (31-22B)	22	070S	230E	4304715263	5670	Federal	WI	I	
RWU 156 (23-15B)	15	070S	230E	4304715267	5670	Federal	WI	A	
RWU 16 (43-28B)	28	070S	230E	4304716475	5670	Federal	WI	I	
RWU 161 (14-20B)	20	070S	230E	4304715271	5670	Federal	WI	I	
RWU 17 (41-20B)	20	070S	230E	4304715146	5670	Federal	WI	A	
RWU 170 (41-15B)	15	070S	230E	4304716495	5670	Federal	WI	I	
RWU 173 (21-21B)	21	070S	230E	4304716496	5670	Federal	WI	A	
RWU 174 (21-20B)	20	070S	230E	4304715281	5670	Federal	WI	A	
RWU 182 (14-21B)	21	070S	230E	4304716497	5670	Federal	WI	A	
RWU 183 (33-13B)	13	070S	230E	4304715289	5670	Federal	WI	A	
RWU 185 (41-1B)	14	070S	230E	4304716498	5670	Federal	WI	A	
RWU 199 (43-22A)	22	070S	220E	4304715301	5670	Federal	WI	A	
RWU 2 (14-24B)	24	070S	230E	4304716472	5670	Federal	WI	A	
RWU 202 (21-34A)	34	070S	220E	4304715303	5670	Federal	WI	I	
RWU 213 (41-33B)	33	070S	230E	4304720060	5670	Federal	WD	A	
RWU 215 (43-28A)	28	070S	220E	4304730058	5670	Federal	WI	A	
RWU 216 (21-27A)	27	070S	220E	4304730103	5670	Federal	WI	A	
RWU 23 (21-23B)	23	070S	230E	4304715151	5670	Federal	WI	A	
RWU 23-18C (97)	18	070S	240E	4304715216	5670	Federal	WI	I	
RWU 25 (23-23B)	23	070S	230E	4304716476	5670	Federal	WI	A	
RWU 258 (34-22A)	22	070S	220E	4304730458	5670	Federal	WI	A	
RWU 263 (24-26B)	26	070S	230E	4304730518	5670	Federal	WI	I	
RWU 264 (31-35B)	35	070S	230E	4304730519	5670	Federal	WI	A	
RWU 266 (33-26B)	26	070S	230E	4304730521	5670	Federal	WI	I	
RWU 268 (43-17B)	17	070S	230E	4304732980	5670	Federal	WI	A	
RWU 269 (13-26B)	26	070S	230E	4304730522	5670	Federal	WI	I	
RWU 271 (42-35B)	35	070S	230E	4304731081	5670	Federal	WI	I	
RWU 275 (31-26B)	26	070S	230E	4304731077	5670	Federal	WI	A	
RWU 279 (11-36B)	36	070S	230E	4304731052	5670	Federal	WI	A	
RWU 283 (43-18B)	18	070S	230E	4304732982	5670	Federal	WI	A	
RWU 31-19B	19	070S	230E	4304733555	5670	Federal	WI	A	
RWU 31-25A	25	070S	220E	4304733577	5670	Federal	WI	A	
RWU 31-30B	30	070S	230E	4304733788	5670	Federal	WI	A	
RWU 33-19B	19	070S	230E	4304733499	5670	Federal	WI	A	
RWU 33-20B	20	070S	230E	4304733500	5670	Federal	WI	A	
RWU 33-25A	25	070S	220E	4304733578	5670	Federal	WI	A	
RWU 33-30B	30	070S	230E	4304733790	5670	Federal	WI	A	
RWU 34 (23-14B)	14	070S	230E	4304715161	5670	Federal	WI	A	
RWU 34-13A	13	070S	220E	4304733593	5670	Federal	WI	A	
RWU 34-24A	24	070S	220E	4304733568	5670	Federal	WI	A	
RWU 48 (32-19B)	19	070S	230E	4304715174	5670	Federal	WI	I	
RWU 56 (41-28B)	28	070S	230E	4304715182	5670	Federal	WI	A	
RWU 59 (12-24B)	24	070S	230E	4304716477	5670	Federal	WI	A	
RWU 6 (41-21B)	21	070S	230E	4304716482	5670	Federal	WI	A	
RWU 61 (12-27A)	27	070S	220E	4304716478	5670	Federal	WI	I	
RWU 68 (41-13B)	13	070S	230E	4304716485	5670	Federal	WI	I	
RWU 7 (41-27B)	27	070S	230E	4304716473	5670	Federal	WI	I	
RWU 88 (23-18B)	18	070S	230E	4304715210	5670	Federal	WI	A	
RWU 91 (33-22B)	22	070S	230E	4304716479	5670	Federal	WI	A	
RWU 93 (43-27B)	27	070S	230E	4304716480	5670	Federal	WI	I	
RWU 324 (23-16B)	16	070S	230E	4304733084	5670	State	WI	I	



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

June 9, 2003

QEP Uinta Basin, Inc.
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Red Wash Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File – Red Wash Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:6/9/03

JUL 07 2003

3104 (932.34)WF
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.
1050 17th Street Suite 500
Denver, Colorado 80265

:
: Oil and Gas
: lease
:

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/Wilbert B. Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning,
Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin
MFO

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

2/1/2003

FROM: (Old Operator):	TO: (New Operator):
N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341

CA No.

Unit:

RED WASH

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
RWU 23-24A	24	070S	220E	4304733567	5670	Federal	OW	P	
RWU 242 (42-13B)	13	070S	230E	4304730346	5670	Federal	OW	P	
RWU 24 (34-14B)	14	070S	230E	4304715152	5670	Federal	OW	P	
RWU 241 (22-14B)	14	070S	230E	4304730345	5670	Federal	OW	P	
RWU 24-18B	18	070S	230E	4304733554	5670	Federal	OW	P	
RWU 24-19B	19	070S	230E	4304733492	5670	Federal	OW	P	
RWU 234 (32-24B)	24	070S	230E	4304730313	5670	Federal	OW	P	
RWU 233 (12-25B)	25	070S	230E	4304730312	5670	Federal	OW	TA	
RWU 237 (14-25B)	25	070S	230E	4304730341	5670	Federal	OW	P	
RWU 229 (43-26B)	26	070S	230E	4304730259	5670	Federal	OW	TA	
RWU 232 (12-26B)	26	070S	230E	4304730311	5670	Federal	OW	TA	
RWU 231 (21-35B)	35	070S	230E	4304730310	5670	Federal	OW	TA	
RWU 238 (32-35B)	35	070S	230E	4304730342	5670	Federal	OW	TA	
RWU 239 (41-35B)	35	070S	230E	4304730343	5670	Federal	OW	TA	
RWU 240 (12-36B)	36	070S	230E	4304730344	5670	Federal	OW	P	
RWU 230 (14-18C)	18	070S	240E	4304730309	5670	Federal	OW	TA	
RWU 235 (34-18C)	18	070S	240E	4304730314	5670	Federal	OW	P	
RWU 243 (42-18C)	18	070S	240E	4304730347	5670	Federal	OW	TA	
RWU 236 (21-19C)	19	070S	240E	4304730340	5670	Federal	GW	P	
RWU 244 (23-19C)	19	070S	240E	4304730348	5670	Federal	GW	P	

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/2003
- Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151
- If **NO**, the operator was contacted contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on:

IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 8/28/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 8/28/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 965-003-032

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ESB000024

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 799446

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

Type of Well

Oil

Gas



Well



Well



Other

Name of Operator

QEP UINTA BASIN, INC.

Address and Telephone No.

11002 E. 17500 S. VERNAL, UT 84078-8526

Contact: Kirk Fleetwood (435) 781-4341

kirk.fleetwood@questar.com

Location of Well (Footage, Sec., T., R., M., or Survey Description)

893' FSL, 824' FWL, SWSW, SECTION 18, T7S, R24E, SLBM

5. Lease Designation and Serial No.

UTU 02148

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

Redwash

8. Well Name and No.

RWU 14-18C

9. API Well No.

43-047-30309

10. Field and Pool, or Exploratory Area

Red Wash - Green River

11. County or Parish, State

UINTAH COUNTY, UTAH

CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION



Notice of Intent



Subsequent Report



Final Abandonment Notice



Abandonment



Recompletion



Plugging Back



Casing Repair



Altering Casing



Other Return to Production



Change of Plans



New Construction



Non-Routine Fracturing



Water Shut-Off



Conversion to Injection



Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As part of the Redwash Unit SI/TA well review, this well was identified as economically viable well and was returned to production 11/10/2005.

I hereby certify that the foregoing is true and correct.
Signed Kirk Fleetwood

Title Production Engineer

Date 11/15/2005

(This space for Federal or State office use)

Approved by: _____

Title _____

Date _____

Conditions of approval, if any _____

Section 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED

*See instruction on Reverse Side

NOV 16 2005

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ

2. CDW

Change of Operator (Well Sold)

X - Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/1/2007

FROM: (Old Operator): N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900	TO: (New Operator): N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900
---	--

CA No.				Unit:	RED WASH UNIT			
WELL NAME	SEC TWN RNG			API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: _____
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS: THIS IS A COMPANY NAME CHANGE.

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 1 (41-26B)	RW 41-26B	NENE	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 3 (34-23B)	RW 34-23B	SWSE	23	070S	230E	4304715136	5670	Federal	OW	P
RWU 4 (41-22B)	RW 41-22B	NENE	22	070S	230E	4304715137	5670	Federal	OW	TA
RWU 5 (41-23B)	RW 41-23B	NENE	23	070S	230E	4304715138	5670	Federal	OW	P
RWU 8 (32-22B)	RW 32-22B	SWNE	22	070S	230E	4304715139	5670	Federal	OW	P
RWU 9 (43-23B)	RW 43-23B	NESE	23	070S	230E	4304715140	5670	Federal	OW	P
RWU 10 (12-23B)	RW 12-23B	SWNW	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 11	RW 34-27B	SWSE	27	070S	230E	4304715142	99996	Federal	WI	A
RWU 13 (14-22B)	RW 14-22B	SWSW	22	070S	230E	4304715143	5670	Federal	OW	TA
RW 14-13B	RW 14-13B	SWSW	13	070S	230E	4304715144	99996	Federal	WI	A
RWU 15 (32-17C)	RW 32-17C	SWNE	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 17 (41-20B)	RW 41-20B	NENE	20	070S	230E	4304715146	5670	Federal	WI	A
RWU 19 (34-26B)	RW 34-26B	SWSE	26	070S	230E	4304715148	5670	Federal	GW	S
RWU 21 (32-14B)	RW 32-14B	SWNE	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 23 (21-23B)	RW 21-23B	SENW	23	070S	230E	4304715151	99996	Federal	WI	A
RWU 24 (34-14B)	RW 34-14B	SWSE	14	070S	230E	4304715152	5670	Federal	OW	S
RWU 26 (23-22B)	RW 23-22B	NESW	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 27 (43-14B)	RW 43-14B	NESE	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 28 (43-22B)	RW 43-22B	NESE	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 29 (32-23B)	RW 32-23B	SWNE	23	070S	230E	4304715156	5670	Federal	OW	P
RW 23-13B	RW 23-13B	NESW	13	070S	230E	4304715157	5670	Federal	GW	TA
RWU 31 (34-22B)	RW 34-22B	SWSE	22	070S	230E	4304715158	5670	Federal	OW	P
RWU 33 (14-14B)	RW 14-14B	SWSW	14	070S	230E	4304715160	5670	Federal	GW	TA
RWU 34 (23-14B)	RW 23-14B	NESW	14	070S	230E	4304715161	99996	Federal	WI	A
RW 43-13B	RW 43-13B	NESE	13	070S	230E	4304715162	5670	Federal	OW	TA
RWU 36 (32-13B)	RW 32-13B	SWNE	13	070S	230E	4304715163	5670	Federal	GW	P
RWU 38 (14-23B)	RW 14-23B	SWSW	23	070S	230E	4304715165	5670	Federal	OW	P
RWU 39 (14-24A)	RW 14-24A	SWSW	24	070S	220E	4304715166	5670	Federal	OW	TA
RWU 40 (21-24B)	RW 21-24B	NENW	24	070S	230E	4304715167	5670	Federal	OW	TA
RWU 41 (34-13B)	RW 34-13B	SWSE	13	070S	230E	4304715168	5670	Federal	OW	P
RWU 42 (21-29C)	RW 21-29C	NENW	29	070S	240E	4304715169	5670	Federal	GW	P
RWU 43 (12-17B)	RW 12-17B	SWNW	17	070S	230E	4304715170	5670	Federal	OW	P
RWU 44 (32-33C)	RW 32-33C	SWNE	33	070S	240E	4304715171	5670	Federal	GW	P
RWU 45 (23-30B)	RW 23-30B	NESW	30	070S	230E	4304715172	5670	Federal	OW	TA
RWU 46 (41-21C)	RW 41-21C	NENE	21	070S	240E	4304715173	5670	Federal	GW	TA
RWU 48 (32-19B)	RW 32-19B	SWNE	19	070S	230E	4304715174	99996	Federal	WI	I
RWU 49 (12-29B)	RW 12-29B	SWNW	29	070S	230E	4304715175	5670	Federal	OW	TA
RWU 50 (14-23A)	RW 14-23A	SWSW	23	070S	220E	4304715176	5670	Federal	OW	P
RWU 52 (14-18B)	RW 14-18B	SWSW	18	070S	230E	4304715178	5670	Federal	OW	TA
RWU 53 (41-25A)	RW 41-25A	NENE	25	070S	220E	4304715179	5670	Federal	OW	TA
RWU 56 (41-28B)	RW 41-28B	NENE	28	070S	230E	4304715182	99996	Federal	WI	A

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 57 (12-18C)	RW 12-18C	SWNW	18	070S	240E	4304715183	5670	Federal	OW	P
RWU 63 (21-22B)	RW 21-22B	NENW	22	070S	230E	4304715186	5670	Federal	GW	TA
RWU 64 (32-27B)	RW 32-27B	SWNE	27	070S	230E	4304715187	5670	Federal	OW	TA
RWU 66 (34-18B)	RW 34-18B	SWSE	18	070S	230E	4304715189	5670	Federal	OW	P
RWU 67 (42-22B)	RW 42-22B	SENE	22	070S	230E	4304715190	5670	Federal	OW	TA
RWU 69 (21-27B)	RW 21-27B	NENW	27	070S	230E	4304715191	5670	Federal	OW	TA
RWU 70 (23-22A)	RW 23-22A	NESW	22	070S	220E	4304715192	5670	Federal	OW	P
RWU 71 (21-18C)	RW 21-18C	NENW	18	070S	240E	4304715193	5670	Federal	OW	P
RWU 72 (23-27B)	RW 23-27B	NESW	27	070S	230E	4304715194	5670	Federal	OW	TA
RWU 74 (12-13B)	RW 12-13B	SWNW	13	070S	230E	4304715196	5670	Federal	GW	S
RWU 75 (21-26B)	RW 21-26B	NENW	26	070S	230E	4304715197	5670	Federal	OW	TA
RWU 76 (32-18C)	RW 32-18C	SWNE	18	070S	240E	4304715198	5670	Federal	GW	P
RWU 77 (21-13B)	RWU 77 (21-13B)	NENW	13	070S	230E	4304715199	5670	Federal	OW	P
RWU 78 (32-28B)	RW 32-28B	SWNE	28	070S	230E	4304715200	5670	Federal	OW	P
RWU 79 (12-27B)	RW 12-27B	SWNW	27	070S	230E	4304715201	5670	Federal	OW	TA
RWU 80 (14-27B)	RW 14-27B	SWSW	27	070S	230E	4304715202	5670	Federal	OW	S
RWU 81 (41-31B)	RW 41-31B	NENE	31	070S	230E	4304715203	5670	Federal	OW	P
RWU 83 (41-27A)	RW 41-27A	NENE	27	070S	220E	4304715205	5670	Federal	OW	P
RWU 84 (44-14B)	RW 44-14B	SESE	14	070S	230E	4304715206	5670	Federal	GW	P
RWU 88 (23-18B)	RW 23-18B	NESW	18	070S	230E	4304715210	5670	Federal	WI	A
RWU 90 (43-21B)	RW 43-21B	NESE	21	070S	230E	4304715211	5670	Federal	OW	P
RWU 92 (11-23B)	RW 11-23B	NWNW	23	070S	230E	4304715212	5670	Federal	OW	TA
RWU 94 (12-22A)	RW 12-22A	SWNW	22	070S	220E	4304715213	5670	Federal	OW	P
RWU 23-18C (97)	RW 23-18C	NESW	18	070S	240E	4304715216	99996	Federal	WI	I
RWU 99 (12-22B)	RW 12-22B	SWNW	22	070S	230E	4304715218	5670	Federal	OW	P
RWU 100-A (43-21A)	RW 43-21A	NESE	21	070S	220E	4304715219	5670	Federal	WI	A
RWU 101 (34-21B)	RW 34-21B	SWSE	21	070S	230E	4304715220	5670	Federal	OW	P
RWU 102 (41-24A)	RW 41-24A	SENE	24	070S	220E	4304715221	5670	Federal	WI	A
RWU 103 (34-15B)	RW 34-15B	SWSE	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	RW 32-21B	SWNE	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	RW 21-28B	NENW	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	RW 23-23A	NESW	23	070S	220E	4304715228	5670	Federal	OW	P
RWU 111 (32-24A)	RW 32-24A	SWNE	24	070S	220E	4304715229	5670	Federal	OW	S
RWU 112 (32-28A)	RW 32-28A	SWNE	28	070S	220E	4304715230	5670	Federal	OW	S
RWU 115 (21-19B)	RW 21-19B	NENW	19	070S	230E	4304715233	5670	Federal	OW	P
RWU 119 (43-29A)	RW 43-29A	NESE	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	RW 23-28B	NESW	28	070S	230E	4304715237	5670	Federal	OW	TA
RW 13-13B	RW 13-13B	NWSW	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	RW 24-14B	SESW	14	070S	230E	4304715239	5670	Federal	OW	P
RWU 125 (34-19B)	RW 34-19B	SWSE	19	070S	230E	4304715242	5670	Federal	OW	TA
RWU 126 (41-29A)	RW 41-29A	NENE	29	070S	220E	4304715243	5670	Federal	OW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 127 (12-19B)	RW 12-19B	SWNW	19	070S	230E	4304715244	5670	Federal	OW	S
RWU 129 (14-15B)	RW 14-15B	SWSW	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 133 (41-34B)	RW 41-34B	NENE	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	RW 43-19B	NESE	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	RW 34-28B	SWSE	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	RW 41-30B	NENE	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	RW 24-22B	SESW	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	RW 11-27B	NWNW	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	RW 33-14B	NWSE	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	RW 21-18B	NENW	18	070S	230E	4304715258	5670	Federal	OW	TA
RW 24-13B	RW 24-13B	SESW	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	RW 22-22B	SESW	22	070S	230E	4304715260	5670	Federal	OW	TA
RWU 148 (13-22B)	RW 13-22B	NWSW	22	070S	230E	4304715261	99996	Federal	WI	A
RWU 150 (31-22B)	RW 31-22B	NWNE	22	070S	230E	4304715263	99996	Federal	WI	I
RWU 151 (42-14B)	RW 42-14B	SENE	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	RW 14-29B	SWSW	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 156 (23-15B)	RW 23-15B	NESW	15	070S	230E	4304715267	99990	Federal	WI	A
RWU 158 (32-30B)	RW 32-30B	SWNE	30	070S	230E	4304715268	5670	Federal	OW	P
RWU 160 (32-15B)	RW 32-15B	SWNE	15	070S	230E	4304715270	5670	Federal	OW	P
RWU 161 (14-20B)	RW 14-20B	SWSW	20	070S	230E	4304715271	99996	Federal	WI	I
RWU 162 (12-20B)	RW 12-20B	SWNW	20	070S	230E	4304715272	5670	Federal	OW	P
RWU 164 (12-28B)	RW 12-28B	SWNW	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	RW 32-26B	SWNE	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	RW 23-21B	NESW	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	RW 23-24B	NESW	24	070S	230E	4304715278	5670	Federal	OW	TA
RWU 172 (21-30B)	RW 21-30B	NENW	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 174 (21-20B)	RW 21-20B	NENW	20	070S	230E	4304715281	5670	Federal	WI	A
RWU 176 (31-28B)	RW 31-28B	NWNE	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	RW 42-28B	SENE	28	070S	230E	4304715284	5670	Federal	OW	TA
RW 22-13B	RW 22-13B	SESW	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	RW 31-23B	NWNE	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	RW 34-30B	SWSE	30	070S	230E	4304715288	5670	Federal	OW	P
RW 33-13B	RW 33-13B	NWSE	13	070S	230E	4304715289	5670	Federal	WI	A
RWU 184 (23-26B)	RW 23-26B	NESW	26	070S	230E	4304715290	5670	Federal	GW	S
RWU 188 (23-20B)	RW 23-20B	NESW	20	070S	230E	4304715291	5670	Federal	OW	TA
RWU 192 (41-33A)	RW 41-33A	NENE	33	070S	220E	4304715294	5670	Federal	OW	P
RWU 193 (43-24B)	RW 43-24B	NESE	24	070S	230E	4304715295	5670	Federal	GW	TA
RWU 194 (12-14B)	RW 12-14B	SWNW	14	070S	230E	4304715296	5670	Federal	OW	S
RWU 196 (23-17C)	RW 23-17C	NESW	17	070S	240E	4304715298	5670	Federal	GW	TA
RWU 199 (43-22A)	RW 43-22A	NESE	22	070S	220E	4304715301	99996	Federal	WI	A
RWU 201 (32-28C)	RW 32-28C	SWNE	28	070S	240E	4304715302	5670	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 202 (21-34A)	RW 21-34A	NENW	34	070S	220E	4304715303	99996	Federal	WI	I
RWU 204 (23-25A)	RW 23-25A	NESW	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	RW 23-21C	NESW	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 2 (14-24B)	RW 14-24B	SWSW	24	070S	230E	4304716472	99996	Federal	WI	A
RWU 7 (41-27B)	RW 41-27B	NENE	27	070S	230E	4304716473	99996	Federal	WI	I
RWU 16 (43-28B)	RW 43-28B	NESE	28	070S	230E	4304716475	99996	Federal	WI	I
RWU 25 (23-23B)	RW 23-23B	NESW	23	070S	230E	4304716476	99996	Federal	WI	A
RWU 59 (12-24B)	RW 12-24B	SWNW	24	070S	230E	4304716477	99996	Federal	WI	A
RWU 61 (12-27A)	RW 12-27A	SWNW	27	070S	220E	4304716478	99996	Federal	WI	I
RWU 91 (33-22B)	RW 33-22B	NWSE	22	070S	230E	4304716479	99996	Federal	WI	A
RWU 93 (43-27B)	RW 43-27B	NESE	27	070S	230E	4304716480	99996	Federal	WI	I
RWU 6 (41-21B)	RW 41-21B	NENE	21	070S	230E	4304716482	99996	Federal	WI	A
RWU 68 (41-13B)	RW 41-13B	NENE	13	070S	230E	4304716485	99996	Federal	WI	I
RWU 170 (41-15B)	RW 41-15B	NENE	15	070S	230E	4304716495	99996	Federal	WI	I
RWU 173 (21-21B)	RW 21-21B	NENW	21	070S	230E	4304716496	99996	Federal	WI	A
RWU 182 (14-21B)	RW 14-21B	SWSW	21	070S	230E	4304716497	99996	Federal	WI	A
RWU 185 (41-1B)	RW 41-14B	NENE	14	070S	230E	4304716498	99996	Federal	WI	A
RWU 212 (41-8F)	RW 41-8F	NENE	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 213 (41-33B)	RW 41-33B	NENE	33	070S	230E	4304720060	99996	Federal	WD	A
RWU 215 (43-28A)	RW 43-28A	NESE	28	070S	220E	4304730058	99996	Federal	WD	A
RWU 216 (21-27A)	RW 21-27A	NENW	27	070S	220E	4304730103	99996	Federal	WI	A
RWU 219 (44-21C)	RW 44-21C	SESE	21	070S	240E	4304730149	5670	Federal	GW	S
RWU 220 (22-23B)	RW 22-23B	SENW	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	RW 13-27B	NWSW	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 222 (31-27B)	RW 31-27B	NWNE	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 224 (44-22B)	RW 44-22B	SESE	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	RW 13-23B	NWSW	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	RW 24-23B	SESW	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	RW 14-26B	SWSW	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	RW 21-34B	NENW	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	RW 43-26B	NESE	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	RW 14-18C	SWSW	18	070S	240E	4304730309	5670	Federal	OW	P
RWU 231 (21-35B)	RW 21-35B	NENW	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	RW 12-26B	SWNW	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 233 (12-25B)	RW 12-25B	SWNW	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	RW 32-24B	SWNE	24	070S	230E	4304730313	5670	Federal	OW	P
RWU 235 (34-18C)	RW 34-18C	SWSE	18	070S	240E	4304730314	5670	Federal	OW	S
RWU 236 (21-19C)	RW 21-19C	NENW	19	070S	240E	4304730340	5670	Federal	GW	P
RWU 237 (14-25B)	RW 14-25B	SWSW	25	070S	230E	4304730341	5670	Federal	OW	P
RWU 238 (32-35B)	RW 32-35B	SWNE	35	070S	230E	4304730342	5670	Federal	OW	TA
RWU 239 (41-35B)	RW 41-35B	NENE	35	070S	230E	4304730343	5670	Federal	OW	TA

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 240 (12-36B)	RW 12-36B	SWNW	36	070S	230E	4304730344	5670	Federal	OW	S
RWU 241 (22-14B)	RW 22-14B	SENW	14	070S	230E	4304730345	5670	Federal	OW	P
RW 42-13B	RW 42-13B	SENE	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	RW 42-18C	SENE	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	RW 23-19C	NESW	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	RW 22-18C	SENW	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	RW 22-17C	SENW	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 258 (34-22A)	RW 34-22A	SWSE	22	070S	220E	4304730458	5670	Federal	WI	A
RWU 262 (22-26B)	RW 22-26B	SENW	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 263 (24-26B)	RW 24-26B	SESW	26	070S	230E	4304730518	99996	Federal	WI	I
RWU 264 (31-35B)	RW 31-35B	NWNE	35	070S	230E	4304730519	99996	Federal	WI	A
RWU 265 (44-26B)	RW 44-26B	SESE	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 266 (33-26B)	RW 33-26B	NWSE	26	070S	230E	4304730521	99996	Federal	WI	I
RWU 269 (13-26B)	RW 13-26B	NWSW	26	070S	230E	4304730522	99996	Federal	WI	A
RWU 273 (42-27B)	RW 42-27B	SENE	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 279 (11-36B)	RW 11-36B	NWNW	36	070S	230E	4304731052	99996	Federal	WI	A
RWU 276 (44-27B)	RW 44-27B	SESE	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 272 (44-23B)	RW 44-23B	SESE	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 278 (11-26)	RW 11-26	NWNW	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 275 (31-26B)	RW 31-26B	NWNE	26	070S	230E	4304731077	99996	Federal	WI	A
RWU 280 (11-35B)	RW 11-35B	NWNW	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	RW 42-26B	SENE	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 271 (42-35B)	RW 42-35B	SENE	35	070S	230E	4304731081	5670	Federal	WI	I
RWU 270 (22-35B)	RW 22-35B	SENW	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 284 (33-23B)	RW 33-23B	NWSE	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	RW 11-24B	NWNW	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	RW 42-21B	SENE	21	070S	230E	4304731478	5670	Federal	OW	P
RW 44-13B	RW 44-13B	SESE	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	RW 24-27	SESW	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	RW 13-24B	NWSW	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 292 (42-23B)	RW 42-23B	SENE	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 295 (11-22B)	RW 11-22B	NWNW	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	RW 12-35B	SWNW	35	070S	230E	4304731578	5670	Federal	OW	S
RWU 297 (24-15B)	RW 24-15B	SESW	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 293 (22-22A)	RW 22-22A	SENW	22	070S	220E	4304731581	5670	Federal	OW	TA
RWU 294 (24-18C)	RW 24-18C	SESW	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 298 (22-27B)	RW 22-27B	SENW	27	070S	230E	4304731679	5670	Federal	OW	TA
RWU 301 (43-15B)	RW 43-15B	NESE	15	070S	230E	4304731682	5670	Federal	GW	TA
RWU 302 (22-24B)	RW 22-24B	SENW	24	070S	230E	4304731683	5670	Federal	GW	TA
RWU 303 (34-17B)	RW 34-17B	SWSE	17	070S	230E	4304731819	5670	Federal	OW	P
RED WASH 305 (41-4F)	RW 41-4F	C-NE	04	080S	240E	4304732538	5670	Federal	GW	TA

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RED WASH 306	RW 23-23C	NESW	23	070S	240E	4304732629	5670	Federal	GW	P
RWU 207	RW 14-17B	SWSW	17	070S	230E	4304732738	5670	Federal	OW	P
RED WASH UNIT 261	RW 23-17B	NESW	17	070S	230E	4304732739	5670	Federal	WI	A
RWU 268 (43-17B)	RW 43-17B	NESE	17	070S	230E	4304732980	5670	Federal	WI	A
RWU 267 (32-17B)	RW 32-17B	SWNE	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 283 (43-18B)	RW 43-18B	NESE	18	070S	230E	4304732982	5670	Federal	WI	A
RWU 299 (32-18B)	RW 32-18B	SWNE	18	070S	230E	4304733018	5670	Federal	OW	P
RWU 42-20B	RW 42-20B	SENE	20	070S	230E	4304733490	5670	Federal	OW	P
RWU 22-20B	RW 22-20B	SENE	20	070S	230E	4304733491	5670	Federal	OW	S
RWU 24-19B	RW 24-19B	SESW	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 13-19B	RW 13-19B	NWSW	19	070S	230E	4304733497	5670	Federal	WI	A
RWU 13-20B	RW 13-20B	NWSW	20	070S	230E	4304733498	5670	Federal	WI	A
RWU 33-19B	RW 33-19B	NWSE	19	070S	230E	4304733499	5670	Federal	WI	A
RWU 33-20B	RW 33-20B	NWSE	20	070S	230E	4304733500	5670	Federal	WI	A
RED WASH 22-21B	RW 22-21B	SENE	21	070S	230E	4304733522	5670	Federal	OW	S
RED WASH 24-20B	RW 24-20B	SESW	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 44-19B	RW 44-19B	SESE	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	RW 44-20B	SESE	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 11-19B	RW 11-19B	NWNW	19	070S	230E	4304733552	5670	Federal	WI	A
RWU 11-20B	RW 11-20B	NWNW	20	070S	230E	4304733553	5670	Federal	WI	A
RWU 24-18B	RW 24-18B	SESW	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 31-19B	RW 31-19B	NWNE	19	070S	230E	4304733555	5670	Federal	WI	A
RWU 42-19B	RW 42-19B	SENE	19	070S	230E	4304733556	5670	Federal	OW	P
RWU 22-19B	RW 22-19B	SENE	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 23-24A	RW 23-24A	NESW	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 34-24A	RW 34-24A	SWSE	24	070S	220E	4304733568	5670	Federal	WI	A
RWU 42-24A	RW 42-24A	SENE	24	070S	220E	4304733569	5670	Federal	OW	S
RWU 11-25A	RW 11-25A	NWNW	25	070S	220E	4304733574	5670	Federal	WI	A
RWU 13-25A	RW 13-25A	NWSW	25	070S	220E	4304733575	5670	Federal	WI	A
RWU 21-25A	RW 21-25A	NENW	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 31-25A	RW 31-25A	NWNE	25	070S	220E	4304733577	5670	Federal	WI	A
RWU 33-25A	RW 33-25A	NWSE	25	070S	220E	4304733578	5670	Federal	WI	A
RW 41-25AX	RW 41-25A	NENE	25	070S	220E	4304733579	5670	Federal	OW	P
RWU 42-25A	RWU 42-25A	SENE	25	070S	220E	4304733580	5670	Federal	OW	TA
RWU 11-29B	RW 11-29B	NWNW	29	070S	230E	4304733590	5670	Federal	WI	A
RWU 12-24A	RW 12-24A	SWNW	24	070S	220E	4304733591	5670	Federal	WI	A
RWU 21-24A	RW 21-24A	NENW	24	070S	220E	4304733592	5670	Federal	OW	P
RWU 34-13A	RW 34-13A	SWSE	13	070S	220E	4304733593	5670	Federal	WI	A
RWU 44-18B	RW 44-18B	SESE	18	070S	230E	4304733594	5670	Federal	OW	P
RW 22-13A	RW 22-13A	SENE	13	070S	220E	4304733765	13296	Federal	OW	S
RWU 22-29B	RW 22-29B	SENE	29	070S	230E	4304733766	5670	Federal	OW	S

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 41-24A	RW 41-24A	NENE	24	070S	220E	4304733769	5670	Federal	OW	P
RWU 42-30B	RW 42-30B	SENE	30	070S	230E	4304733771	5670	Federal	OW	P
RWU 44-30B	RWU 44-30B	SESE	30	070S	230E	4304733772	5670	Federal	OW	P
RWU 11-30B	RW 11-30B	NWNW	30	070S	230E	4304733785	5670	Federal	WI	A
RWU 22-25A	RW 22-25A	SENE	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 31-30B	RW 31-30B	NWNE	30	070S	230E	4304733788	5670	Federal	WI	A
RWU 33-30B	RW 33-30B	NWSE	30	070S	230E	4304733790	5670	Federal	WI	A
RED WASH U 34-27C	RW 34-27C	SWSE	27	070S	240E	4304735045	5670	Federal	GW	P
RWU 34-22C	RW 34-22C	SWSE	22	070S	240E	4304735098	5670	Federal	GW	P
RW 12G-20C	RW 12G-20C	SWNW	20	070S	240E	4304735239	14011	Federal	GW	S
RW 43G-08F	RW 43G-08F	NESE	08	080S	240E	4304735655		Federal	GW	APD
RW 22G-09F	RW 22G-09F	SENE	09	080S	240E	4304735656	15636	Federal	GW	OPS
RWU 34-23AG	RW 34-23AG	SWSE	23	070S	220E	4304735668	5670	Federal	OW	P
RWU 34-27AG	RWU 34-27AD	SWSE	27	070S	220E	4304735669	5670	Federal	OW	DRL
RWU 32-27AG	RWU 32-27AG	SWNE	27	070S	220E	4304735670	5670	Federal	OW	S
RW 14-34AMU	RW 14-34AMU	SWSW	34	070S	220E	4304735671	14277	Federal	GW	P
RW 12-08FG	RW 12-08FG	SWNW	08	080S	240E	4304736348		Federal	GW	APD
RW 44-08FG	RW 44-08FG	SESE	08	080S	240E	4304736349	15261	Federal	GW	P
RW 12-17FG	RW 12-17FG	SWNW	17	080S	240E	4304736350		Federal	GW	APD
RW 34-34 AMU	RW 34-34 AD	SWSE	34	070S	220E	4304736351		Federal	GW	APD
RW 44-35 AMU	RW 44-35 AMU	SESE	35	070S	220E	4304736352		Federal	GW	APD
RW 14-35 AMU	RW 14-35 AMU	SWSW	35	070S	220E	4304736354		Federal	GW	APD
RW 33-31 BMU	RW 33-31 BD	NWSE	31	070S	230E	4304736357		Federal	GW	APD
RW 13-31 BMU	RW 13-31 BD	NWSW	31	070S	230E	4304736358		Federal	GW	APD
RW 32-15FG	RW 32-15FG	SWNE	15	080S	240E	4304736443		Federal	GW	APD
RW 21-26AG	RW 21-26AD	NENW	26	070S	220E	4304736768		Federal	OW	APD
RW 43-26AG	RW 43-26AG	NESE	26	070S	220E	4304736769		Federal	OW	APD
RW 43-23AG	RW 43-23AG	NESE	23	070S	220E	4304736770		Federal	OW	APD
RW 41-26AG	RW 41-26AG	NENE	26	070S	220E	4304736818		Federal	OW	APD
RW 04-25BG	RW 04-25B	NWSW	25	070S	230E	4304736982		Federal	OW	APD
RW 01-25BG	RW 01-25BG	NWNW	25	070S	230E	4304736983		Federal	OW	APD
RW 04-26BG	RW 04-26BG	SESW	26	070S	230E	4304736984		Federal	OW	APD
RW 01-26BG	RW 01-26BG	SWNW	26	070S	230E	4304736985		Federal	OW	APD
RW 01-35BG	RW 01-35BG	SWNW	35	070S	230E	4304736986		Federal	OW	APD

RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 51 (12-16B)	RW 12-16B	SWNW	16	070S	230E	4304715177	5670	State	OW	P
RWU ST 189 (41-16B)	RW 41-16B	NENE	16	070S	230E	4304715292	5670	State	OW	S
RED WASH UNIT 259	RW 14-16B	SWSW	16	070S	230E	4304732785	5670	State	OW	P
RED WASH UNIT 260	RW 34-16B	SWSE	16	070S	230E	4304732786	5670	State	OW	P
RWU 324 (23-16B)	RW 23-16B	SESW	16	070S	230E	4304733084	5670	State	WI	OPS
RWU 21W-36A	RWU 21W-36A	NENW	36	070S	220E	4304733730		State	GW	LA
RWU 21G-36A	RWU 21G-36A	NENW	36	070S	220E	4304733731		State	OW	LA
RWU 41-36A	RWU 41-36A	NENE	36	070S	220E	4304733732		State	OW	LA
RWU 43-16B	RWU 43-16B	NESE	16	070S	230E	4304733733		State	OW	LA
RWU 21-16B	RWU 21-16B	NENW	16	070S	230E	4304733734		State	OW	LA
RWU 11-36A	RWU 11-36A	NWNW	36	070S	220E	4304733736		State	OW	LA
RWU 13-36A	RWU 13-36A	NWSW	36	070S	220E	4304733737		State	OW	LA
RW 32G-16C	RW 32G-16C	SWNE	16	070S	240E	4304735238	5670	State	GW	P
RW 14-36AMU	RW 14-36AMU	SWSW	36	070S	220E	4304736721		State	GW	APD
RW 01-36BG	RW 01-36BG	NWNW	36	070S	230E	4304736887	5670	State	OW	S
RW 24-16BG	RW 24-16BG	SESW	16	070S	230E	4304737746	5670	State	OW	DRL
RW 12-32BG	RW 12-32BG	SWNW	32	070S	230E	4304737946	15841	State	GW	DRL

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER _____

2. NAME OF OPERATOR
QUESTAR EXPLORATION AND PRODUCTION COMPANY

3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265 PHONE NUMBER: (303) 308-3068

4. LOCATION OF WELL

FOOTAGES AT SURFACE: attached

COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: UTAH

5. LEASE DESIGNATION AND SERIAL NUMBER:
see attached

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
see attached

7. UNIT or CA AGREEMENT NAME:
see attached

8. WELL NAME and NUMBER:
see attached

9. API NUMBER:
attached

10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 1/1/2007	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Operator Name Change
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033

Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

Jay B. Neese, Executive Vice President
Questar Exploration and Production Company

NAME (PLEASE PRINT) Debra K. Stanberry

TITLE Supervisor, Regulatory Affairs

SIGNATURE

DATE 3/16/2007

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL
OIL WELL ☐ GAS WELL ☐ OTHER _____

2. NAME OF OPERATOR
QUESTAR EXPLORATION AND PRODUCTION COMPANY

3. ADDRESS OF OPERATOR
1050 17th Street Suite 500 City: Denver STATE: CO ZIP: 80265
PHONE NUMBER: (303) 308-3068

4. LOCATION OF WELL

FOOTAGES AT SURFACE: attached

COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: UTAH

5. LEASE DESIGNATION AND SERIAL NUMBER:
see attached

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
see attached

7. UNIT or CA AGREEMENT NAME:
see attached

8. WELL NAME and NUMBER:
see attached

9. API NUMBER:
attached

10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) Debra K. Stanberry

TITLE Supervisor, Regulatory Affairs

SIGNATURE [Signature] DATE 4/17/2007

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

April 23, 2007

Questar Exploration and Production Company
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
File - Red Wash Unit (w/enclosure)
Agr. Sec. Chron
Reading File
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 30 2007

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
CDW

Change of Operator (Well Sold)

X - Operator Name Change

The operator of the well(s) listed below has changed, effective:

6/14/2010

FROM: (Old Operator): N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048	TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048
--	---

CA No.

Unit:

RED WASH

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: Requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER
See attached

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
See attached

7. UNIT or CA AGREEMENT NAME:
See attached

8. WELL NAME and NUMBER:
See attached

9. API NUMBER:
Attached

10. FIELD AND POOL, OR WILDCAT:
See attached

1. TYPE OF WELL

OIL WELL ☐

GAS WELL ☐

OTHER _____

2. NAME OF OPERATOR:

Questar Exploration and Production Company

N5085

3. ADDRESS OF OPERATOR:

1050 17th Street, Suite 500

CITY: Denver

STATE: CO

ZIP: 80265

PHONE NUMBER:

(303) 672-6900

4. LOCATION OF WELL

FOOTAGES AT SURFACE: See attached

COUNTY: Attached

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 6/14/2010	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Operator Name Change
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033

Fee Land Bond Number: ~~965003033~~

BIA Bond Number: ~~799446~~ 965010693

N3700

965010695

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) Morgan Anderson

TITLE Regulatory Affairs Analyst

SIGNATURE

Morgan Anderson

DATE 6/23/2010

(This space for State use only)

RECEIVED

JUN 28 2010

DIV. OF OIL, GAS & MINING

(See Instructions on Reverse Side)

APPROVED 6/13/2010

Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
RED WASH
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
RW 34-23B	23	070S	230E	4304715136	5670	Federal	OW	P	
RW 41-23B	23	070S	230E	4304715138	5670	Federal	OW	P	
RW 32-22B	22	070S	230E	4304715139	5670	Federal	OW	P	
RW 43-23B	23	070S	230E	4304715140	5670	Federal	OW	P	
RW 32-17C	17	070S	240E	4304715145	5670	Federal	OW	P	
RW 34-26B	26	070S	230E	4304715148	5670	Federal	GW	TA	
RW 32-14B	14	070S	230E	4304715150	5670	Federal	OW	P	
RW 34-14B	14	070S	230E	4304715152	5670	Federal	OW	S	
RW 23-22B	22	070S	230E	4304715153	5670	Federal	OW	TA	
RW 43-22B	22	070S	230E	4304715155	5670	Federal	OW	P	
RW 32-23B	23	070S	230E	4304715156	5670	Federal	OW	P	
RW 23-13B	13	070S	230E	4304715157	5670	Federal	GW	TA	
RW 34-22B	22	070S	230E	4304715158	5670	Federal	OW	P	
RW 32-13B	13	070S	230E	4304715163	5670	Federal	GW	P	
RW 14-23B	23	070S	230E	4304715165	5670	Federal	OW	S	
RW 14-24A	24	070S	220E	4304715166	17554	Federal	OW	DRL	
RW 21-24B	24	070S	230E	4304715167	5670	Federal	OW	TA	
RW 34-13B	13	070S	230E	4304715168	5670	Federal	OW	P	
RW 21-29C	29	070S	240E	4304715169	5670	Federal	GW	P	
RW 12-17B	17	070S	230E	4304715170	5670	Federal	OW	P	
RW 32-33C	33	070S	240E	4304715171	5670	Federal	GW	P	
RW 14-23A	23	070S	220E	4304715176	5670	Federal	OW	P	
RW 12-18C	18	070S	240E	4304715183	5670	Federal	OW	P	
RW 21-22B	22	070S	230E	4304715186	5670	Federal	GW	TA	
RW 34-18B	18	070S	230E	4304715189	5670	Federal	OW	P	
RW 21-27B	27	070S	230E	4304715191	5670	Federal	OW	TA	
RW 23-22A	22	070S	220E	4304715192	5670	Federal	OW	P	
RW 21-18C	18	070S	240E	4304715193	5670	Federal	OW	P	
RW 12-13B	13	070S	230E	4304715196	5670	Federal	GW	S	
RW 32-18C	18	070S	240E	4304715198	5670	Federal	GW	P	
RWU 77 (21-13B)	13	070S	230E	4304715199	5670	Federal	OW	P	
RW 32-28B	28	070S	230E	4304715200	5670	Federal	OW	P	
RW 12-27B	27	070S	230E	4304715201	5670	Federal	OW	TA	
RW 14-27B	27	070S	230E	4304715202	5670	Federal	OW	P	
RW 41-31B	31	070S	230E	4304715203	5670	Federal	OW	P	
RW 41-27A	27	070S	220E	4304715205	5670	Federal	OW	S	
RW 44-14B	14	070S	230E	4304715206	5670	Federal	GW	P	
RW 43-21B	21	070S	230E	4304715211	5670	Federal	OW	P	
RW 12-22A	22	070S	220E	4304715213	5670	Federal	OW	P	
RW 12-22B	22	070S	230E	4304715218	5670	Federal	OW	P	
RW 34-21B	21	070S	230E	4304715220	5670	Federal	OW	P	
RW 34-15B	15	070S	230E	4304715222	5670	Federal	OW	P	
RW 32-21B	21	070S	230E	4304715226	5670	Federal	OW	P	
RW 21-28B	28	070S	230E	4304715227	5670	Federal	OW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
RED WASH
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
RW 23-23A	23	070S	220E	4304715228	5670	Federal	OW	P	
RW 32-24A	24	070S	220E	4304715229	5670	Federal	OW	P	
RW 32-28A	28	070S	220E	4304715230	5670	Federal	OW	S	
RW 21-19B	19	070S	230E	4304715233	5670	Federal	OW	P	
RW 43-29A	29	070S	220E	4304715236	5670	Federal	OW	S	C
RW 23-28B	28	070S	230E	4304715237	17525	Federal	OW	P	C
RW 13-13B	13	070S	230E	4304715238	5670	Federal	GW	P	
RW 24-14B	14	070S	230E	4304715239	5670	Federal	OW	P	
RW 41-29A	29	070S	220E	4304715243	5670	Federal	OW	P	
RW 14-15B	15	070S	230E	4304715246	5670	Federal	OW	P	
RW 41-34B	34	070S	230E	4304715250	5670	Federal	OW	P	
RW 41-30B	30	070S	230E	4304715254	5670	Federal	OW	P	
RW 24-22B	22	070S	230E	4304715255	5670	Federal	OW	P	
RW 33-14B	14	070S	230E	4304715257	5670	Federal	OW	P	
RW 21-18B	18	070S	230E	4304715258	5670	Federal	OW	TA	
RW 22-22B	22	070S	230E	4304715260	5670	Federal	OW	TA	C
RW 42-14B	14	070S	230E	4304715264	5670	Federal	OW	P	
RW 14-29B	29	070S	230E	4304715265	5670	Federal	OW	P	
RW 32-30B	30	070S	230E	4304715268	5670	Federal	OW	P	
RW 32-15B	15	070S	230E	4304715270	5670	Federal	OW	P	
RW 12-20B	20	070S	230E	4304715272	5670	Federal	OW	S	
RW 12-28B	28	070S	230E	4304715274	5670	Federal	OW	P	
RW 32-26B	26	070S	230E	4304715275	5670	Federal	GW	TA	
RW 31-28B	28	070S	230E	4304715283	5670	Federal	OW	TA	
RW 34-30B	30	070S	230E	4304715288	5670	Federal	OW	P	
RW 23-26B	26	070S	230E	4304715290	5670	Federal	GW	S	
RW 41-33A	33	070S	220E	4304715294	5670	Federal	OW	P	
RW 43-24B	24	070S	230E	4304715295	5670	Federal	GW	TA	
RW 12-14B	14	070S	230E	4304715296	5670	Federal	OW	S	
RW 32-28C	28	070S	240E	4304715302	5670	Federal	GW	P	
RW 23-25A	25	070S	220E	4304715305	5670	Federal	OW	P	
RW 41-8F	08	080S	240E	4304720014	5670	Federal	GW	P	
RW 44-21C	21	070S	240E	4304730149	5670	Federal	GW	S	
RW 13-27B	27	070S	230E	4304730199	5670	Federal	OW	TA	
RW 21-34B	34	070S	230E	4304730258	5670	Federal	OW	P	
RW 43-26B	26	070S	230E	4304730259	5670	Federal	OW	TA	
RW 14-18C	18	070S	240E	4304730309	5670	Federal	OW	P	
RW 12-26B	26	070S	230E	4304730311	5670	Federal	OW	TA	
RW 32-24B	24	070S	230E	4304730313	5670	Federal	OW	P	
RW 34-18C	18	070S	240E	4304730314	5670	Federal	OW	P	
RW 21-19C	19	070S	240E	4304730340	5670	Federal	GW	P	
RW 14-25B	25	070S	230E	4304730341	5670	Federal	OW	P	
RW 32-35B	35	070S	230E	4304730342	5670	Federal	OW	TA	
RW 12-36B	36	070S	230E	4304730344	5670	Federal	OW	S	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
RED WASH
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
RW 22-14B	14	070S	230E	4304730345	5670	Federal	OW	P	
RW 42-13B	13	070S	230E	4304730346	5670	Federal	OW	P	
RW 23-19C	19	070S	240E	4304730348	5670	Federal	GW	P	
RW 22-18C	18	070S	240E	4304730387	5670	Federal	OW	P	
RW 22-17C	17	070S	240E	4304730388	5670	Federal	GW	P	
RW 44-26B	26	070S	230E	4304730520	5670	Federal	GW	P	
RW 42-27B	27	070S	230E	4304731051	5670	Federal	OW	TA	
RW 44-27B	27	070S	230E	4304731053	5670	Federal	OW	TA	
RW 44-23B	23	070S	230E	4304731054	5670	Federal	GW	P	
RW 11-35B	35	070S	230E	4304731079	5670	Federal	OW	P	
RW 22-35B	35	070S	230E	4304731082	5670	Federal	OW	P	
RW 33-23B	23	070S	230E	4304731476	5670	Federal	GW	TA	
RW 11-24B	24	070S	230E	4304731477	5670	Federal	OW	P	
RW 42-21B	21	070S	230E	4304731478	5670	Federal	OW	P	
RW 13-24B	24	070S	230E	4304731517	5670	Federal	OW	P	
RW 42-23B	23	070S	230E	4304731576	5670	Federal	GW	TA	
RW 12-35B	35	070S	230E	4304731578	5670	Federal	OW	S	
RW 24-15B	15	070S	230E	4304731579	5670	Federal	OW	P	
RW 24-18C	18	070S	240E	4304731582	5670	Federal	GW	P	
RW 43-15B	15	070S	230E	4304731682	17643	Federal	GW	DRL	C
RW 34-17B	17	070S	230E	4304731819	5670	Federal	OW	P	
RW 41-4F	04	080S	240E	4304732538	5670	Federal	GW	TA	
RW 23-23C	23	070S	240E	4304732629	5670	Federal	GW	P	
RW 14-17B	17	070S	230E	4304732738	5670	Federal	OW	P	
RW 32-17B	17	070S	230E	4304732981	5670	Federal	OW	P	
RW 32-18B	18	070S	230E	4304733018	5670	Federal	OW	P	
RW 42-20B	20	070S	230E	4304733490	5670	Federal	OW	P	
RW 22-20B	20	070S	230E	4304733491	5670	Federal	OW	P	
RW 24-19B	19	070S	230E	4304733492	5670	Federal	OW	P	
RW 22-21B	21	070S	230E	4304733522	5670	Federal	OW	S	
RW 24-20B	20	070S	230E	4304733523	5670	Federal	OW	P	
RW 44-19B	19	070S	230E	4304733524	5670	Federal	OW	P	
RW 44-20B	20	070S	230E	4304733525	5670	Federal	OW	P	
RW 24-18B	18	070S	230E	4304733554	5670	Federal	OW	P	
RW 42-19B	19	070S	230E	4304733556	5670	Federal	OW	P	
RW 22-19B	19	070S	230E	4304733559	5670	Federal	OW	P	
RW 23-24A	24	070S	220E	4304733567	5670	Federal	OW	P	
RW 42-24A	24	070S	220E	4304733569	5670	Federal	OW	P	
RW 21-25A	25	070S	220E	4304733576	5670	Federal	OW	P	
RW 41-25A	25	070S	220E	4304733579	5670	Federal	OW	P	
RW 21-24A	24	070S	220E	4304733592	5670	Federal	OW	P	
RW 44-18B	18	070S	230E	4304733594	5670	Federal	OW	P	
RW 41-24A	24	070S	220E	4304733769	5670	Federal	OW	P	
RW 42-30B	30	070S	230E	4304733771	5670	Federal	OW	S	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
RED WASH
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
RWU 44-30B	30	070S	230E	4304733772	5670	Federal	OW	P	
RW 22-25A	25	070S	220E	4304733786	5670	Federal	OW	P	
RW 34-27C	27	070S	240E	4304735045	5670	Federal	GW	P	
RW 34-22C	22	070S	240E	4304735098	5670	Federal	GW	P	
RW 34-23AG	23	070S	220E	4304735668	5670	Federal	OW	P	
RWU 32-27AG	27	070S	220E	4304735670	5670	Federal	OW	P	
RW 14-34AMU	34	070S	220E	4304735671	14277	Federal	GW	P	
RW 44-08FG	08	080S	240E	4304736349	15261	Federal	GW	P	
RW 34-34 AD	34	070S	220E	4304736351	16177	Federal	GW	P	
RW 33-31 BD	31	070S	230E	4304736357		Federal	GW	APD	C
RW 13-31 BD	31	070S	230E	4304736358		Federal	GW	APD	C
RW 21-26AD	26	070S	220E	4304736768	5670	Federal	OW	OPS	C
RW 43-26AG	26	070S	220E	4304736769	16575	Federal	OW	OPS	C
RW 43-23AG	23	070S	220E	4304736770	5670	Federal	OW	OPS	C
RW 41-26AG	26	070S	220E	4304736818	5670	Federal	OW	OPS	C
RW 04-25B	25	070S	230E	4304736982	17224	Federal	OW	P	
RW 34-27ADR	27	070S	220E	4304739445	16330	Federal	GW	P	
RW 32-29CD	29	070S	240E	4304739854		Federal	GW	APD	C
RW 24-10FD	10	080S	240E	4304739963		Federal	GW	APD	C
RW 34-20CD	20	070S	240E	4304739964		Federal	GW	APD	C
RW 32-20CD	20	070S	240E	4304739965		Federal	GW	APD	
RW 24-21CD	21	070S	240E	4304739966		Federal	GW	APD	C
RW 41-28CD	28	070S	240E	4304739967		Federal	GW	APD	C
RW 41-33CD	33	070S	240E	4304739968		Federal	GW	APD	C
RW 14-35 AMU	35	070S	220E	4304740051		Federal	GW	APD	C
RW 44-35 AMU	35	070S	220E	4304740052		Federal	GW	APD	
RW 12-17FG	17	080S	240E	4304740602		Federal	GW	APD	C

Bonds: BLM = ESB000024
BIA = 956010693
State = 965010695



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
<http://www.blm.gov/ut/st/en.html>



IN REPLY REFER TO:
3100
(UT-922)

JUL 28 2010

Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office
From: Chief, Branch of Minerals *Roger L. Bankert*
Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS
UDOGM

RECEIVED

AUG 16 2010

DIV. OF OIL, GAS & MINERAL

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-02148
1. TYPE OF WELL Oil Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
2. NAME OF OPERATOR: QEP ENERGY COMPANY		7. UNIT or CA AGREEMENT NAME: RED WASH
3. ADDRESS OF OPERATOR: 11002 East 17500 South, Vernal, Ut, 84078		8. WELL NAME and NUMBER: RW 14-18C
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0893 FSL 0824 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWSW Section: 18 Township: 07.0S Range: 24.0E Meridian: S		9. API NUMBER: 43047303090000
9. FIELD and POOL or WILDCAT: RED WASH		COUNTY: UTAH
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 11/1/2011 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER:

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

QEP Energy Company requests approval to deepen the above well to a total depth of 10,535' to the Mesaverde Formation. In addition, the well pad has been modified to accomodate the larger drill rig and the Surface Use Plan has been revised to address all other changes. The ammended footages are: **892' FSL, 823' FWL.** QEP Energy Company respectfully requests the type of well change- From: Oil To: Gas. Please refer to the following plans: Surface Use Plan, 8-Point Drilling Plan, Plat Package, Weed Data Sheet.

647898X 40.204756

4451721Y -109.262246

Approved by the
Utah Division of
Oil, Gas and Mining

Date: 06-22-11

By:

NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBER 435 781-4369	TITLE Regulatory Affairs Analyst
SIGNATURE N/A	DATE 6/2/2011	

Federal Approval of this
 Action Is Necessary

T7S, R24E, S.L.B.&M.

LOT 1

LOT 2

LOT 3

LOT 4

18

RW #14-18C (RE-ENTRY)
Elev. Ungraded Ground = 5677'

Monuments and Bearings:

- W.C. Brass Cap, 0.3' High, Scattered Stones (Top Left)
- Set Corner Re-Estab. (Top Left)
- W.C. 1936 Brass Cap, 0.6' High, Mound of Stones (Top Center)
- True Position (Top Center)
- 1936 Brass Cap, 0.4' High, Scattered Stones (Left Center)
- 1936 Brass Cap, 0.2' High, Mound of Stones (Right Center)
- 1936 Brass Cap, 0.6' High Mound of Stones (Bottom Left)
- 1936 Brass Cap Flush W/Ground, Pile of Stones W.L.Y. (Bottom Right)

Bearings and Distances:

- N00°11'01"W 2641.15' (Meas.)
- N89°56'22"W - 2493.81' (Meas.)
- 30.00'
- N89°59'02"W - 2639.32' (Meas.)
- N00°12'39"W - 2638.68' (Meas.)
- N00°12'10"W - 2639.21' (Meas.)
- N89°59'11"E - 5135.75' (Meas.)
- S00°10'22"E - 2641.35' (Meas.)
- N00°11'02"W - 2641.14' (Meas.)

Other Measurements:

- 823'
- 892'

Section Numbers: R 23 W, R 24 E

(NAD 83)

L = 90° SYMBOL
 ● = PROPOSED WELL HEAD.
 ▲ = SECTION CORNERS LOCATED.


(NAD 83)
LATITUDE = 40°12'17.05" (40.204736)
LONGITUDE = 109°15'47.02" (109.263061)

(NAD 27)
LATITUDE = 40°12'17.18" (40.204772)
LONGITUDE = 109°15'44.57" (109.262381)

Well location, RW #14-18C (RE-ENTRY), located as shown in the SW 1/4 SW 1/4 of Section 18, T7S, R24E, S.L.B.&M., Uintah County, Utah.


BENCH MARK 20EAM LOCATED IN THE SE 1/4 OF SECTION 35, T8S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4697 FEET.

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF.



(435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 03-14-11	DATE DRAWN: 03-16-11
PARTY A.F. J.C. K.O.	REFERENCES G.L.O. PLAT	
WEATHER COLD	FILE QEP ENERGY COMPANY	

QEP Energy Company
RW 14-18C Drilling Prog
API: 43-047-30309
Summarized Re-Entry Procedure

1. Clear location of all unnecessary equipment.
2. Pull existing production equipment and tubing from well with well servicing rig
3. Completions will prep well for re-entry.
4. MIRU drilling rig
5. NU and test rig's 5M BOPE.
6. Drill out shoe and down to 10,535.
7. Log well. Triple or Quad-Combo (GR, NEU/DEN, IND, RES, SON)
8. RIH with 4" 11.0# P-110 UFJ casing and cement.
9. ND BOP's.
10. RDMO.

ONSHORE OIL & GAS ORDER NO. 1
QEP ENERGY COMPANY
RW 14-18C (API#: 43-047-30309)

RE-ENTRY DRILLING PROGRAM

ONSHORE OIL & GAS ORDER NO. 1
Approval of Operations on Onshore
Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil & Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of its subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. **Formation Tops**

The estimated top of important geologic markers are as follows:

<u>Formation</u>	<u>Depth, TVD & MD</u>
Green River	2,807'
Mahogany	3,506'
Original TD	5,800'
Wasatch	5,895'
Mesaverde	8,085'
Sego	10,435'
TD	10,535'

2. **Anticipated Depths of Oil, Gas, Water, and Other Mineral Bearing Zones**

The estimated depths at which the top of the anticipated water, oil, gas, or other mineral bearing formations are expected to be encountered as follows:

<u>Substance</u>	<u>Formation</u>	<u>Depth, TVD & MD</u>
Gas	Wasatch	5,895'
Gas	Mesaverde	8,085'
Gas	Sego	10,435'

All fresh water and prospectively valuable minerals encountered during drilling will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If flows are detected, samples will be submitted to the BLM along with any water analyses conducted. Fresh water will be obtained from Wonsits Valley water right A36125

ONSHORE OIL & GAS ORDER NO. 1
QEP ENERGY COMPANY
RW 14-18C (API#: 43-047-30309)

(which was filed on May 7, 1964) or Red Wash water right # 49-2153 (which was filed on March 25, 1960). It was determined by the Fish and Wildlife Service that any water right number filed before 1989 is not depleting to the Upper Colorado River System, to supply fresh water for drilling purposes. All water resulting from drilling operations will be disposed of at Red Wash Central Battery Disposal site; SWSE, Section 27, T7S, R23E or Wonsits Valley Disposal Site; SWNW, Section 12, T8S, R21E.

3. Operator's Specification for Pressure Control Equipment

- A. 7 1/16" or 11" as available 5000 psi double ram with blind rams and pipe rams, annular preventer and drilling spool or BOP with 2 side outlets.
- B. All BOP connections subject to pressure shall be flanged, welded or clamped.
- C. Kill line (2" min), 2 choke line valves (3" min), choke line (3" min), 2 kill line valves (2" min) and a check valve, 2 chokes with one remotely controlled from rig floor and a pressure gauge on choke manifold.
- D. Upper and Lower Kelly cock valves with handles and safety valve and subs to fit all drill string connections.
- E. IBOP or float sub available.
- F. Fill up line must be installed above the uppermost preventer.
- G. Ram type preventers and associated equipment shall be tested to approved stack working pressure if isolated by test plug or to 50 percent of internal yield pressure of casing whichever is less. BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc..., for a 5M system and individual components shall be operable as designed.

4. Casing Design:

Hole Size	Csg. Size	Top (MD)	Bottom (MD)	Wt.	Grade	Thread	Cond.	Expected MW(ppg)
13 3/4"	8 5/8"	sfc	316'	32#	J-55	STC	Existing	N/A
7 7/8"	5 1/2"	sfc	5,800'	15.5#	J-55	LTC	Existing	N/A
4 3/4"	4"	sfc	10,535'	11.0#	P-110	UFJ	New	8.8 – 10.5

ONSHORE OIL & GAS ORDER NO. 1
QEP ENERGY COMPANY
RW 14-18C (API#: 43-047-30309)

Casing Strengths:				Collapse	Burst	Tensile (min)
8 5/8"	32#	J-55	STC	2,530 psi	3,930 psi	372,000 lb.
5 1/2"	15.5#	J-55	LTC	4,040 psi	4,810 psi	202,000 lb.
4"	11.0#	P-110	UFJ	11,060 psi	12,610 psi	245,500 lb.

Casing Design Factors

*The casing prescribed above meets or exceeds the below listed design factors.

Burst: 1.2

Collapse: 1.2

Tension: 1.6

Maximum anticipated mud weight: 10.5 ppg

Maximum anticipated surface treating pressure: 7,200 psi

5. Cementing Program

4" Production Casing:

Lead Slurry: 3,000' (TOC) – 8,085'. 80 sks (232 ft³) Halliburton Extendacem, 3 pps Silicalite (extender), 1 pps Granulite TR ¼ (LCM), 0.125 pps Poly – E – Flake. Slurry Weight 11.0 lb/gal, 3.18 ft³/sk, 25% excess over gauge in open hole only.

Tail Slurry: 8,085' – 10,535'. 70 sks (112 ft³), Halliburton Expandacem, 0.2% Super CBL (Expander), 0.45% HR-5 (Retarder), 1 pps Granulite TR ¼, 0.125 pps Poly-E-Flake (LCM). Slurry Weight 13.5 lb/gal, 1.71 ft³/sk, 25% excess over gauge hole.

*Final cement volumes to be calculated from caliper log and will attempt to pump cement to 3,000'.

*Request for variance from Onshore Order No. 2, III B: Order states that, "Casing collars shall have a minimum clearance of 0.422 inches on all sides in the hole/casing annulus, with recognition that variances can be granted for justified exceptions." QEP is requesting that a 4" flush joint casing string be used in this re-entry well to increase production casing ID and facilitate adequate fracture rates. Assuming gauge open hole, the annular clearance between the open hole and 4" production casing (at the collars, which are the same OD as the casing) will be 0.375 inches. Casing centralizers will be used to maximize uniform cement sheath thickness.

6. **Auxiliary Equipment**

- A. Kelly Cock – yes
- B. Float at the bit – yes
- C. Monitoring equipment on the mud system – PVT/Flow Show
- D. Full opening safety valve on the rig floor – yes
- E. Drilling below the 5-1/2” casing will be done with water based mud. Maximum anticipated mud weight is 10.5 ppg.
- F. No minimum quantity of weight material will be required to be kept on location.
- G. Gas detector will be used from intermediate casing depth to TD.

7. **Testing, logging and coring program**

- A. Cores – none.
- B. DST – none anticipated
- C. Logging – Mud logging – Intermediate Casing to TD
OH Logs: GR-SP-Induction, Neutron Density.
- D. Formation and Completion Interval:
 - Stimulation will be designed for the particular area of interest as encountered.


8. **Anticipated Abnormal Pressures and Temperatures, Other Potential Hazards**

No abnormal temperatures or pressures are anticipated. Maximum anticipated bottom hole pressure equals approximately 5,752 psi. Maximum anticipated bottom hole temperature is 209° F.


H₂S has not been encountered in other wells drilled to similar depths in the general area.

ONSHORE OIL & GAS ORDER NO. 1
 QEP ENERGY COMPANY
 RW 14-18C (API#: 43-047-30309)

5M BOP STACK



ONSHORE OIL & GAS ORDER NO. 1
QEP ENERGY COMPANY
RW 14-18C (API#: 43-047-30309)




5M CHOKE MANIFOLD EQUIPMENT - CONFIGURATION OF CHOKES MAY VARY

Although not required for any of the choke manifold systems, buffer tanks are sometimes installed downstream of the choke assemblies for the purpose of manifolded the bleed lines together. When buffer tanks are employed, valves shall be installed upstream to isolate a failure or malfunction without interrupting flow control. Though not shown on 28L 56L 108L OR 1534 drawings, it would also be applicable to those situations.

[54 PR 20528, Sept. 27, 1989]

RW 14-18C
 API# 43-047-30309
 SWSW Sec 18 T7S R24E
 Uintah County, Utah
 KB 5,691'
 GL 5,677'
 Original Spud 10/22/1977



**QEP ENERGY COMPANY
RW 14-18C
892' FSL 823' FWL
SWSW, SECTION 18, T7S, R24E
UINTAH COUNTY, UTAH
LEASE # UTU-02148**

**ONSHORE ORDER NO. 1
MULTI – POINT SURFACE USE & OPERATIONS PLAN**

An onsite inspection was conducted for the RW 14-18C on May 4, 2011. Weather conditions were sunny at the time of the onsite. In attendance at the inspection were the following individuals:

Kevin Sadlier	Bureau of Land Management
Aaron Roe	Bureau of Land Management
Holly Villa	Bureau of Land Management
Daniel Emmett	Bureau of Land Management
Jan Nelson	QEP Energy Company
Stephanie Tomkinson	QEP Energy Company
Ryan Angus	QEP Energy Company
Valyn Davis	QEP Energy Company
Eric Wickersham	QEP Energy Company
Andy Floyd	Uintah Engineering & Land Surveying

1. Existing Roads:

The proposed well site is approximately 27 miles South of Vernal, Utah.

Refer to Topo Maps A and B for location of access roads within a 2 – mile radius.

All existing roads will be maintained and kept in good repair during all phases of operation.

2. Planned Access Roads:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Refer to Topo Map B for the location of the proposed access road.

No new access road is proposed. The access to be used is the access to the existing RW 14-18C location. Graveling or capping the roadbed will be performed as necessary to provide a well constructed safe road. Should conditions warrant, rock, gravel or culverts will be installed as needed.

3. Location of Existing Wells Within a 1 – Mile Radius:

Please refer to Topo Map C.

4. Location of Existing & Proposed Facilities:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

The following guidelines will apply if the well is productive.

A containment dike will be constructed completely around those production facilities which contain fluids (i.e., production tanks, produced water tanks). These dikes will be constructed of compacted impervious subsoil; hold 110% of the capacity of the largest tank; and, be independent of the back cut. If a Spill Prevention, Control, and Countermeasure (SPCC) Plan is required by the Environmental Protection Agency, the containment dike may be expanded to meet SPCC requirements with approval by the BLM/VFO AO. The specific APD will address additional capacity if such is needed due to environmental concerns. The use of topsoil for the construction of dikes will not be allowed.

All loading lines will be placed inside the berm surrounding the tank batteries.

All permanent (on site six months or longer) above the ground structures constructed or installed, including pumping units, will be painted a color approved by the State.

It was determined on the onsite by the BLM VFO AO that the facilities will be painted Covert Green.

Refer to Topo Map D for the location of the proposed pipeline.

All existing equipment will be moved off location before any construction begins.

The proposed surface pipeline will be constructed utilizing existing disturbed areas to minimize surface disturbance. No construction activities will be allowed outside of the proposed pipeline.

Prior to construction, the Permittee will develop a plan of installation to minimize surface disturbance. Pipe will be strung along the pipeline route with either a flatbed trailer and rubber tired backhoe or a tracked typed side boom. Where surface conditions do not allow the pipe to be strung using conventional methods, the Permittee will utilize pull sections to run the fabricated pipe through the area from central staging areas along the pipeline route.

Upon completion of stringing activities the Permittee will fabricate the pipeline on wooden skids adjacent to the centerline of the pipeline route using truck mounted welding machines. All fabricated piping will be lowered off of the wooden skids and

placed along the centerline. Upon completion of all activities, the wooden skids will be removed from the pipeline route using a flatbed truck or flatbed truck and trailer.

When the surface terrain prohibits the Permittee from safely installing the pipeline along the pipeline route, grading of the route will be required. Prior to installing the pipeline in these areas a plan will be developed to safely install the pipeline while minimizing grading activities and surface disturbances. Additionally, erosion control Best Management Practices will be installed as needed prior to the start of any grading activities. Surface grading will be limited to what is needed to safely install the pipeline. Track type bulldozers and track type backhoes will be utilized for grading activities.

Upon completion of the pipeline installation, the pipeline route will be restored to the pre-disturbance surface contours.

The proposed pipeline will be a surface 10" or smaller, 1,306' in length, containing .90 acres.

Road Crossings

Fusion Bond or concrete coated pipe will be used for all road crossings to alleviate future corrosion.

All pipe and fittings used for road crossings will be prefabricated within the proposed pipeline route to minimize the duration of open pipe trench across the roadway. Pipe used for road crossings will be isolated on each end with a flange set and insulation kit and cathodically protected with a magnesium type anode. Adequately sized equipment will be used for minor and major road crossings. Depth of cover for minor roads will be >4' and the depth of cover for major roads will be >6'.

Prior to lowering the pipe in the trench, the Permittee will "Jeep" the pipe to locate and repair any Holidays in the pipe coating. Upon lowering the pipe in the trench, 6" of bedding and a minimum of 6" of shading will be installed to protect the pipe using either native soils <1" in diameter or imported sand. Pipe trenches that extend across gravel roads will be backfilled with native soils to within 8" of the driving surface and capped with 3/4" road base. Pipe trenches that extend across asphalt paved roads will be backfilled to 4" of the driving surface with 3/4" road base and capped asphalt material.

5. Location and Type of Water Supply:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Water for drilling purposes would be obtained from Wonsits Valley Water Right # A 36125 (which was filed on May 7, 1964) or Red Wash Water Right # 49-2153 (which was filed on March 25, 1960). It was determined by the Fish and Wildlife

Service that any water right number filed before 1989 is not depleting to the Upper Colorado River System.

6. Source of Construction Materials:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Surface and subsoil materials in the immediate area will be utilized.

Any gravel will be obtained from a commercial source.

The use of materials under BLM jurisdiction will conform with 43 CFR 3610.2-3.

7. Methods of Handling Waste Materials:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Drill cuttings will be contained and buried in the reserve pit.

Drilling fluids including salts and chemicals will be contained in the reserve pit. Upon termination of drilling and completion operations, the liquid contents of the reserve pit will be used at the next drill site or will be removed and disposed of at an approved waste disposal facility within 6 months after drilling is terminated. Immediately upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1.

Unless specified in the site specific APD, the reserve pit will be constructed on the location and will not be located within natural drainages, where a flood hazard exists or surface runoff will or damage the pit walls. The reserve pit will be constructed so that it will not leak, break, or allow discharge of liquids.

It will be determined at the on-site inspection if a pit liner is necessary, the reserve pit will be lined with a synthetic reinforced liner, a minimum of 20 millimeters thick, with sufficient bedding used to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place.

No trash or scrap will be disposed of in the pit.

Reserve pit leaks are considered an undesirable event and will be orally reported to the AO.

After first production, produced wastewater will be confined to the approved pit or storage tank for a period not to exceed 90 days.

After the 90 day period, the produced water will be contained in tanks on location and then hauled by truck to one of the following pre-approved disposal sites:

Red Wash disposal well located in the NESW, Section 28, T7S, R22E,
Red Wash Central Battery Disposal located SWSE, Section 27, T7S, R23E,
West End Disposal located in the NESE, Section 28, T7S, R22E,
or approved third-party surface evaporative pits.

Produced water, oil, and other byproducts will not be applied to roads or well pads for the control of dust or weeds. The dumping of produced fluids on roads, well sites, or other areas will not be allowed.

Any spills of oil, gas, salt water, or other noxious fluids will be immediately cleaned up and removed to an approved disposal site. The spills will be reported to the AO and other authorities as appropriate.

A chemical porta-toilet will be furnished with the drilling rig. The chemical porta-toilet wastes will be hauled to Ashley Valley Sewer and Water System for disposal.

Garbage, trash, and other waste materials will be collected in a portable, self-contained, fully enclosed trash cage during operations. Trash will not be burned on location. All debris and other waste material not contained in the trash cage will be cleaned up and removed from the location immediately after removal of the drilling rig. All trash and waste material will be hauled to the Uintah County Landfill.

No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of wells. Furthermore, extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will not be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completing of wells within these areas. Specific APD's shall address any modifications from this policy.

8. Ancillary Facilities:

None anticipated.

9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram rig orientation, parking areas, and access roads, as well as the location of the following:

The reserve pit.

The stockpiled topsoil (first six inches), will not be used for facility berms. All brush removed from the well pad during construction will be stockpiled with topsoil.

The flare pit or flare box will be located downwind from the prevailing wind direction.

Any drainage that crosses the well location will be diverted around the location by using ditches, water diversion drains or berms. If deemed necessary at the on-site, erosion drains may be installed to contain sediments that could be produced from access roads and well locations.

A pit liner is required. A felt pit liner will be required if bedrock is encountered.

10. Fencing Requirements:

Any open pits will be fenced during the operations. The fencing will be maintained until such time as the pits are backfilled.

All pits will be fenced according to the following minimum standards:

39 inch net wire will be used with at least one strand of barbed wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.

The net wire shall be no more than two inches above the ground. The barbed wire shall be three inches over the net wire. Total height of the fence shall be at least 42 inches.

Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.

Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any 2 fence posts shall be no greater than 16 feet.

All wire shall be stretched using a stretching device before it is attached to corner posts.

The reserve pit will be fenced on three (3) sides during drilling operations. The fourth side will be put in place when the rig moves off location. The pit will be fenced and maintained until it is backfilled. If drilling operations does not commence within 3 days, the fourth side of the fence will be installed

11. Plans for Reclamation of the Surface:

Please refer to QEP Energy Company Uinta Basin Division Reclamation Plan

Site Specific Procedures:

Site Specific Reclamation Summary:

Reclamation will follow Questar Exploration and Production Company, Uinta Basin Division's Reclamation Plan, September 2009 (Questar's Reclamation Plan) and the BLM Green River District Reclamation Guidelines.

All trash and debris will be removed from the disturbed area.

The disturbed area will be backfilled with subsoil.

Topsoil will be spread to an even, appropriate depth and disked if needed.

Water courses and drainages will be restored.

Erosion control devices will be installed where needed.

Seeding will be done in the fall, prior to ground freeze up.

Seed mix will be submitted to a BLM AO for approval prior to seeding.

Monitoring and reporting will be conducted as stated in Questar's Reclamation Plan. A reference site has been established and is included in this application.

It was determined and agreed upon that there is 7" inches of top soil.

12. Surface Ownership:

Bureau of Land Management
170 South 500 East
Vernal, Utah 84078
(435) 781-4400

13. Other Information:

A Class III archaeological survey was conducted by Montgomery Archaeology Consultants. A copy of this report was submitted on May 9, 2011 **Moac Report No. 11-011** by Montgomery Archaeology Consultants. Cultural resource clearance was recommended for this location.

A Class III paleontological survey was conducted by Intermountain Paleo Consulting. A copy of this report was submitted on May 27, 2011 **IPC # 11-33** by Stephen D. Sandau. The inspection resulted in the location of no fossil resources. However, if vertebrate fossil(s) are found during construction a paleontologist should be immediately notified. QEP will provide Paleo monitor if needed.

Additional Operator Remarks

QEP Energy Company proposes to deepen the existing well bore for the RW 14-18C and drill to a depth of 10,535' to test the Mesa Verde Formation. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements"

Please see Onshore Order No. 1.

Please refer to QEP Energy Company Greater Deadman Bench
EIS UT-080-2003-0369V Record of Decision dated March 31, 2008.

Please be advised that QEP Energy Company agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No.ESB000024. The principal is QEP Energy Company via surety as consent as provided for the 43 CFR 3104.2.

QEP ENERGY COMPANY

RW #14-18C (RE-ENTRY)

LOCATED IN UINTAH COUNTY, UTAH
SECTION 18, T7S, R24E, S.L.B.&M.



PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: SOUTHWESTERLY



PHOTO: VIEW OF EXISTING ACCESS

CAMERA ANGLE: SOUTHWESTERLY



- Since 1964 -

U
E
L
S

Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

LOCATION PHOTOS

03 22 11
MONTH DAY YEAR

PHOTO

TAKEN BY: A.E.

DRAWN BY: J.L.G.

REVISED: 00-00-00

QEP ENERGY COMPANY

LOCATION LAYOUT FOR


RW #14-18C (RE-ENTRY)
SECTION 18, T7S, R24E, S.L.B.&M.
892' FSL 823' FWL

FIGURE #1

SCALE: 1" = 60'

DATE: 03-17-11

DRAWN BY: K.O.



Elev. Ungraded Ground At Loc. Stake = 5677.2'
FINISHED GRADE ELEV. AT LOC. STAKE = 5677.2'

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

1" = 40'
X-Section
Scale
1" = 100'





DATE: 03-17-11
DRAWN BY: K.O.

QEP ENERGY COMPANY

TYPICAL CROSS SECTIONS FOR

RW #14-18C (RE-ENTRY)
SECTION 18, T7S, R24E, S.L.B.&M.
892' FSL 823' FWL

FIGURE #2



NOTE:

Topsoil should not be Stripped Below Finished Grade on Substructure Area.

APPROXIMATE ACREAGES
EXISTING DISTURBANCE
WITHIN PROPOSED WELL SITE = ± 1.476 ACRES
REMAINING PROPOSED
WELL SITE DISTURBANCE = ± 1.148 ACRES
PIPELINE DISTURBANCE = ± 0.899 ACRES
TOTAL = ± 3.523 ACRES

* NOTE:
FILL QUANTITY INCLUDES
5% FOR COMPACTION

APPROXIMATE YARDAGES

(6") Topsoil Stripping = 2,010 Cu. Yds.
Remaining Location = 3,710 Cu. Yds.
TOTAL CUT = 5,720 CU.YDS.
FILL = 2,470 CU.YDS.

EXCESS MATERIAL = 3,250 Cu. Yds.
Topsoil & Pit Backfill = 920 Cu. Yds.
(1/2 Pit Vol.)
EXCESS UNBALANCE = 2,330 Cu. Yds.
(After Interim Rehabilitation)

UINTAH ENGINEERING & LAND SURVEYING
86 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

QEP ENERGY COMPANY



TYPICAL RIG LAYOUT FOR
RW #14-18C (RE-ENTRY)
SECTION 18, T7S, R24E, S.L.B.&M.
892' FSL 823' FWL

FIGURE #3

SCALE: 1" = 60'

DATE: 03-17-11

DRAWN BY: K.O.



QEP ENERGY COMPANY

PRODUCTION FACILITY LAYOUT FOR


**RW #14-18C (RE-ENTRY)
SECTION 18, T7S, R24E, S.L.B.&M.
892' FSL 823' FWL**

FIGURE #4


SCALE: 1" = 60'

DATE: 03-17-11

DRAWN BY: K.D.



Access Road



RECLAIMED AREA


UINTAH ENGINEERING & LAND SURVEYING

86 So. 200 East • Vernal, Utah 84078 • (435) 788-1017

QEP ENERGY COMPANY
RW #14-18C (RE-ENTRY)
SECTION 18, T7S, R24E, S.L.B.&M.

PROCEED IN AN EASTERLY, THEN SOUTHERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 3.9 MILES TO THE JUNCTION OF STATE HIGHWAY 45; EXIT RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.1 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 3.2 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHEAST; TURN LEFT AND PROCEED IN A NORTHEASTERLY DIRECTION APPROXIMATELY 1.9 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 0.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST; TURN RIGHT AND PROCEED IN A SOUTHWESTERLY DIRECTION APPROXIMATELY 30' TO THE PROPOSED LOCATION

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 26.6 MILES.



LEGEND:

- DISPOSAL WELLS
- PRODUCING WELLS
- SHUT IN WELLS
- WATER WELLS
- ABANDONED WELLS
- TEMPORARILY ABANDONED

N

QEP ENERGY COMPANY

RW #14-18C (RE-ENTRY)
SECTION 18, T7S, R24E, S.L.B.&M.
892' FSL 823' FWL




Utah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC
MAP

03 22 11
 MONTH DAY YEAR

SCALE: 1" = 2000' DRAWN BY: J.L.G. REVISED: 00-00-00





APPROXIMATE TOTAL PIPELINE DISTANCE = 1,306' +/-

LEGEND:

- EXISTING PIPELINE
- - - PROPOSED PIPELINE
- PROPOSED ACCESS



QEP ENERGY COMPANY

RW #14-18C (RE-ENTRY)
SECTION 18, T7S, R24E, S.L.B.&M.
892' FSL 823' FWL



Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC MAP

SCALE: 1" = 1000' DRAWN BY: J.L.G. REVISED: 00-00-00



QEP ENERGY COMPANY
REFERENCE MAP: AREA OF VEGETATION
RW #14-18C (RE-ENTRY)
LOCATED IN UINTAH COUNTY, UTAH
SECTION 18, T7S, R24E, S.L.B.&M.




NOTE:

BEGINNING OF REFERENCE AREA
UTM NORTHING: 14605861.221
UTM EASTING: 2125744.853
LATITUDE: 40.204244
LONGITUDE: -109.261856

END OF REFERENCE AREA
UTM NORTHING: 14605735.785
UTM EASTING: 2125902.502
LATITUDE: 40.203892
LONGITUDE: -109.261300

PHOTO: VIEW FROM BEGINNING OF REFERENCE AREA



U E L S Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

SCALE: 1" = 300'

05 09 11
MONTH DAY YEAR
TAKEN BY: A.F. DRAWN BY: Z.L. REVISED: 00-00-00

REF.

WEED DATA SHEET

PROJECT NAME:

RW14-18C

SURVEYOR: Stephanie Tomkinson

DATE:

5-4-11

	Location GPS Coordinates	Site Description	Weed Species	Cover Class or Number	Pattern	Infestation Size (acres)
1						
2						
3						
4						
5						
6						
7						

SITE DRAWING (Optional): Include a sketch of the infestation within the project area. Count the number of individuals if possible.

No noxious weeds on location.

*Cover Class-estimated percent cover, by species, of the infestation

0 = No weeds found

1 = Less than 1% (trace)

2 = One to five % (low - occasional plants)

3 = Six to twenty-five % (moderate - scattered plants)

4 = Twenty-five to 100 % (high - fairly dense)

*Pattern - pattern of the infestation

0 = No weeds found

1 = Single plant or small area of many plants

2 = Linear

3 = Patchy

4 = Block

*Infestation Size - number of estimated acres of the infestation

0 = No weeds found

1 = Less than one acre

2 = One to five acres

3 = five or more acres

Cheatgrass canopy cover: ~~3~~ 4

Russian thistle canopy cover: 2

Halogeton canopy cover: 2

Kochia canopy cover: 1

*Same veg. + people
as RW 32-28A.*

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 06/02/2011

API NO. ASSIGNED: 43-047-30309

WELL NAME: RW 14-18C

OPERATOR: QEP ENERGY COMPANY (N3700)

PHONE NUMBER: 435-781-4369

CONTACT: VALYN DAVIS

PROPOSED LOCATION:

SWSW 18 070S 240E

SURFACE: 0892 FSL 0823 FWL

BOTTOM: 0892 FSL 0823 FWL

COUNTY: UINTAH

LATITUDE: 40.20476 LONGITUDE: -109.26225

UTM SURF EASTINGS: 647898 NORTHINGS: 4451721

FIELD NAME: RED WASH (665)

INSPECT LOCATN BY: / /

Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: 1 - Federal

LEASE NUMBER: U-02148

PROPOSED FORMATION: MVRD

SURFACE OWNER: 1 - Federal

COALBED METHANE WELL? NO

RECEIVED AND/OR REVIEWED:

☒ Plat

☒ Bond: Fed[1] Ind[] Sta[] Fee[]
(No. ESB000024)

☒ Potash (Y/N)

☒ Oil Shale 190-5 (B) or 190-3 or 190-13

☒ Water Permit

(No. 49-2153)

☒ RDCC Review (Y/N)

(Date:)

☒ Fee Surf Agreement (Y/N)

☒ Intent to Commingle (Y/N)

LOCATION AND SITING:

R649-2-3.

Unit: RED WASH

R649-3-2. General

Siting: 460 From Qtr/Qtr & 920' Between Wells

R649-3-3. Exception

☒ Drilling Unit

Board Cause No: 187-07

Eff Date: 9-18-2001


Siting: *Supplemental General Siting*

R649-3-11. Directional Drill

COMMENTS:

STIPULATIONS:


1- Federal Approval



API Number: 4304730309
 Well Name: RW 14-18C
 Township T0.7 . Range R2.4 . Section 18
 Meridian: SLBM
 Operator: QEP ENERGY COMPANY

Map Prepared:
 Map Produced by Diana Mason

Units STATUS	Wells Query Status
ACTIVE	APD - Approved Permit
EXPLORATORY	DRIL - Spudded (Drilling Commenced)
GAS STORAGE	GIW - Gas Injection
NP PP OIL	GIS - Gas Storage
NP SECONDARY	LA - Location Abandoned
PI OIL	LOC - New Location
PP GAS	OPS - Operation Suspended
PP GEOTHERMAL	PA - Plugged Abandoned
PP OIL	POW - Producing Gas Well
SECONDARY	POW - Producing Oil Well
TERMINATED	RET - Returned APD
	SOW - Shut-in Gas Well
	SOW - Shut-in Oil Well
	TA - Temp. Abandoned
	TW - Test Well
	WDW - Water Disposal
	WW - Water Injection Well
	WSW - Water Supply Well
Fields STATUS	
Unknown	
ABANDONED	
ACTIVE	
COMBINED	
INACTIVE	
STORAGE	
TERMINATED	
Sections	
Township	



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, Utah 84145-0155

IN REPLY REFER TO:
3160
(UT-922)

June 22, 2011

Memorandum

To: Assistant District Manager Minerals, Vernal District
From: Michael Coulthard, Petroleum Engineer
Subject: 2011 Plan of Development Red Wash Unit,
Uintah County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for re-entry, deepening and completion in the Mesaverde Formation. The work is planned for calendar year 2011 within the Red Wash Unit, Uintah County, Utah.

API #	WELL NAME	LOCATION
-------	-----------	----------

(Proposed PZ Mesaverde)

43-047-15305	RW 23-25A Sec 25 T07S R22E 1853 FSL 1992 FWL	
43-047-15230	RW 32-28A Sec 28 T07S R22E 1980 FNL 1987 FEL	
43-047-30311	RW 12-26B Sec 26 T07S R23E 2103 FNL 0603 FWL	
43-047-30309	RW 14-18C Sec 18 T07S R24E 0892 FSL 0823 FWL	
43-047-15145	RW 32-17C Sec 17 T07S R24E 2054 FNL 1986 FEL	
43-047-30259	RW 43-26B Sec 26 T07S R23E 1979 FSL 0661 FEL	
43-047-15176	RW 14-23A Sec 23 T07S R22E 0664 FSL 0758 FWL	

This office has no objection to permitting the wells at this time.

Michael L. Coulthard

Digitally signed by Michael L. Coulthard
DN: cn=Michael L. Coulthard, o=Bureau of Land Management,
ou=Branch of Minerals, email=Michael_Coulthard@blm.gov, c=US
Date: 2011.06.22 08:43:46 -0600

bcc: File - Red Wash Unit
Division of Oil Gas and Mining
Central Files
Agr. Sec. Chron
Fluid Chron

MCoulthard:mc:6-22-11



GARY R. HERBERT
Governor

GREGORY S. BELL
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

June 22, 2011

QEP Energy Company
11002 East 17500 South
Vernal, Ut 84078


Subject: RW 14-18C Well, 892' FSL, 823' FWL, SW SW, Sec. 18, T. 7 South, R. 24 East,
Uintah County, Utah

Ladies and Gentlemen:

Pursuant to Utah Code Ann. §40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of Cause: 187-07. The expected producing formation or pool is the Mesaverde Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-30309.

Sincerely,



John Rogers
Associate Director

JR/js
Enclosures

cc: Uintah County Assessor
Bureau of Land Management, Vernal Office

Operator: QEP Energy Company
Well Name & Number RW 14-18C
API Number: 43-047-30309
Lease: UTU-02148

Location: SW SW Sec. 18 T. 7 South R. 24 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

- Within 24 hours following the spudding of the well – contact Carol Daniels at 801-538-5284 (please let a voicemail message if not available)

OR

Submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website at <http://oilgas.ogm.utah.gov>

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dustin Doucet at (801) 538-5281 office
(801) 733-0983 after office hours

3. Reporting Requirements

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited:

- Entity Action Form (Form 6) – due within 5 days of spudding the well
- Monthly Status Report (Form 9) – due by 5th day of the following calendar month
- Requests to Change Plans (Form 9) – due prior to implementation
- Written Notice of Emergency Changes (Form 9) – due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) – due prior to implementation
- Report of Water Encountered (Form 7) – due within 30 days after completion
- Well Completion Report (Form 8) – due within 30 days after completion or plugging

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: SEE ATTACHED
2. NAME OF OPERATOR: QEP ENERGY COMPANY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A
3. ADDRESS OF OPERATOR: 11002 E 17500 S CITY VERNAL STATE UT ZIP 84078		7. UNIT or CA AGREEMENT NAME: RED WASH
PHONE NUMBER: (435) 781-4331		8. WELL NAME and NUMBER: SEE ATTACHED
4. LOCATION OF WELL FOOTAGES AT SURFACE: QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: N/A
		10. FIELD AND POOL, OR WILDCAT: RED WASH
		COUNTY: UINTAH
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 5/3/2011	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input checked="" type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

QEP ENERGY COMPANY REQUESTS 12 MONTHS TA STATUS FOR THE LIST OF WELLS IN ORDER TO PERMIT AND DEEPEN TO THE MESA VERDE FORMATION.

PLEASE SEE ATTACHED.

COPY SENT TO OPERATOR

Date: AUG 11 2011

Initials: KS

NAME (PLEASE PRINT) JAN NELSON TITLE PERMIT AGENT
SIGNATURE *Jan Nelson* DATE 5/3/2011

REQUEST DENIED

Utah Division of

Oil, Gas and Mining

Date: 8/3/2011

By: *[Signature]*

* See Requirements of R649-3-36
(See Instructions on Reverse Side)

RECEIVED

MAY 09 2011

DIV. OF OIL, GAS & MINING

Unit #	Lease#	API number	Well name	Well #	QTR	SEC	TWP	RGE	Future Plans for well bore
8910084820	UTU0807	4304731873	WV	121	NWSW	14	8S	21E	Working on permits to deepen to MV in 2012
8920007610	UTU081	4304715296	RW	12-14B	SWNW	14	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU02030	4304715272	RW	12-20B	SWNW	20	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0566	4304730311	RW	12-26B	SWNW	26	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0933	4304730199	RW	13-27B	NWSW	27	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0116	4304715258	RW	21-18B	NENW	18	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU081	4304715186	RW	21-22B	NENW	22	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU082	4304715167	RW	21-24B	NENW	24	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0566	4304715191	RW	21-27B	NENW	27	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0567	4304733522	RW	22-21B	SENW	21	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU081	4304715153	RW	23-22B	NESW	22	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0566	4304715290	RW	23-26B	NESW	26	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU02030	4304715283	RW	31-28B	NWNE	28	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0566	4304715275	RW	32-26B	SWNE	26	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0558	4304715230	RW	32-28A	SWNE	28	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU081	4304715152	RW	34-14B	SWSE	14	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU082	4304731576	RW	42-23B	SENE	23	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU082	4304715295	RW	43-24B	NESE	24	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0566	4304730259	RW	43-26B	NESE	26	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU02030	4304716475	RW	43-28B	NESE	28	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU0566	4304731053	RW	44-27B	SESE	27	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU081	4304716495	RW	41-15B	NENE	15	7S	23E	Working on permits to deepen to MV in 2012
8920007610	UTU02148	4304730309	RW	14-18C	SWSW	18	7S	24E	Working on permits to deepen to MV in 2012

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: U-02148
1. TYPE OF WELL Oil Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
2. NAME OF OPERATOR: QEP ENERGY COMPANY		7. UNIT or CA AGREEMENT NAME: RED WASH
3. ADDRESS OF OPERATOR: 11002 East 17500 South, Vernal, Ut, 84078		8. WELL NAME and NUMBER: RW 14-18C
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0892 FSL 0823 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWSW Section: 18 Township: 07.0S Range: 24.0E Meridian: S		9. API NUMBER: 43047303090000
9. FIELD and POOL or WILDCAT: RED WASH		COUNTY: UINTAH
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: <div style="background-color: yellow; padding: 2px; display: inline-block;">7/3/2012</div>	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input checked="" type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: RESCIND NOI TO DEEPEN
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:			
<input type="checkbox"/> SPUD REPORT Date of Spud:			
<input type="checkbox"/> DRILLING REPORT Report Date:			

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
 QEP ENERGY COMPANY REQUESTS TO RESCIND THE NOTICE OF INTENT TO DEEPEN ON THE RW 14-18C.

Accepted by the
 Utah Division of
 Oil, Gas and Mining
FOR RECORD ONLY
 July 03, 2012

NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBER 435 781-4369	TITLE Regulatory Affairs Analyst
SIGNATURE N/A	DATE 7/3/2012	

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9			
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: U-02148			
1. TYPE OF WELL Oil Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME: RED WASH			
2. NAME OF OPERATOR: QEP ENERGY COMPANY		8. WELL NAME and NUMBER: RW 14-18C			
3. ADDRESS OF OPERATOR: 11002 East 17500 South, Vernal, Ut, 84078		9. API NUMBER: 43047303090000			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0892 FSL 0823 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWSW Section: 18 Township: 07.0S Range: 24.0E Meridian: S		9. FIELD and POOL or WILDCAT: RED WASH COUNTY: UINTAH STATE: UTAH			
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA					
TYPE OF SUBMISSION <input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 7/1/2016 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	TYPE OF ACTION <table style="width: 100%; border: none;"> <tr> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION </td> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input checked="" type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER </td> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/> </td> </tr> </table>		<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input checked="" type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>
<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input checked="" type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. QEP ENERGY COMPANY REQUESTS APPROVAL TO PLUG AND ABANDON THE RW 14-18C. PLEASE SEE ATTACHED PROCEDURES TO PLUG AND ABANDON. FINAL RECLAMATION OF THIS SITE WILL COMMENCE WITHIN ONE YEAR OF PLUGGING THE WELL.					
<p style="color: red; font-weight: bold;">Approved by the Utah Division of Oil, Gas and Mining</p> <p style="color: red; font-weight: bold;">Date: April 28, 2016</p> <p style="color: red; font-weight: bold;">By: <u><i>Derek Quist</i></u></p> <p style="color: red; font-weight: bold; margin-top: 20px;">Please Review Attached Conditions of Approval</p>					
NAME (PLEASE PRINT) Jan Nelson		PHONE NUMBER 435 781-4331			
SIGNATURE N/A		TITLE Permit Agent DATE 4/26/2016			



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Sundry Conditions of Approval Well Number 43047303090000

A minimum 100' cement plug shall be placed on the CIBP for Plug #1 as required by R649-3-24-3.2.

P&A Wellbore

Well Name:	RW 14-18C		AFE:	
Field:	Red Wash		Well Code:	301141801
Location:	SW of SW SEC.18 T 7S R24E			
County:	Uintah	State:	Utah	
API:	43-047-30309			
WI:	86.17%			
NRI:	86.37%			

Well Data:	TD:	5,800	PBTD:	5,430
	GL:	5,660	KB:	5,675

Casing & Cementing:

Surface:	12 1/4" Hole Size 8-5/8" 24#, K-55 set @ 316'. Cement w/ 200 sks	
Production:	7 7/8" Hole Size 5-1/2", 15.5#, K-55 set @ 5,800' Cement w/ 440 sks TOC @ 3300'	
Perforations:	4484'-88', 4511'-14', 4518'-21', 4543'-47, 4684'-89 4754'-58', 4819'-32', 5194'-5209', 5450'-56' 5461'-68', 5486'-5500', 5506'-09', 5513'-19' 5522'-28', 5543'-48', 5557'-64', 5567'-71', 5574'-90'	Open Open Open Open
Operation:	P&A wellbore	

Program:

MIRU service unit, kill well if necessary, ND WH and NU BOP
POOH w/ 2-7/8" tubing
RU Wireline, RIH w/ CIBP and set @ ±4,390', RD wireline
RIH with open ended to top of CIBP
Fill hole with a minimum 9 ppg fluid, if well was dead, water may be used to fill the hole
RIH w/ 2-7/8" tubing and spot 35' cement on top of CIBP
Pull up 19 stands and reverse circulate to clear tubing
Fill wellbore w/ displacement fluid (containing corrosion inhibitor and biocide)
Green River Top - RU Wireline and shoot holes @ 2790'. RIH w/ CICR and set @ 2710'.
Establish injection rate and squeeze 50 sx below and spot 10 sx cement on top
Pull up 19 stands and reverse circulate to clear tubing
POOH w/ 2-7/8" tubing
RU wireline, perforate the casing at 360', RD wireline
RIH with 2-7/8" tubing, Attempt to circulate up annulus with fluid
Pump cement down casing and up annulus, or until good returns are seen at surface
Ensure 3' of working space to cut off wellhead later
RD Floor, ND BOP
Cut off wellhead 3' below ground and weld on a dry hole marker
GPS wellhead location and note on report
Clean up location, RDMO

SUTO8816140 FIELD: REDWASH		GL: 5660' KBE: 5675'	Start Date 11-1-05 Finsh Date: 11-1-05																																																										
WELL NAME:RW 14-18C		TD: 5800' PBTD: 5430'	Current Well Status: (OIL/GAS)																																																										
Location: SW of SW SEC.18 T 7S R24E Uintah County, Utah		Reason for Pull/Workover: lay down mud anchor																																																											
<div>Wellbore Schematic</div> <div><div><div><div><div>Surface casing</div><div>Size 8 5/8"</div><div>Weight 24 #</div><div>Grade K-55</div><div>Cemented</div><div>W/ 200 SXS</div><div>Set @ 316'</div><div>Hole size 12 1/4"</div></div><div>EXCLUDED PERFS</div><div>GR top @ 2790'</div><div>OPEN PERFS</div><div>CEMENT</div><div>CICR @ 2710'</div><div>TOC @ 3300'</div><div>CIBP w/ 35' CMT</div><div>PBTD @ 4390'</div><div>4484-88'</div><div>4511-14'</div><div>4518-21'</div><div>4543-47'</div><div>4684-89'</div><div>4754-58'</div><div>4819-32'</div><div>5194-5209'</div><div>CIBP @ 5440' capped with 10' cement</div><div>Production casing</div><div>Size 5 1/2"</div><div>Weight 15.5#</div><div>Grade K-55</div><div>Cemented</div><div>W / 440 SXS</div><div>Set @ 5800'</div><div>Hole size 7 7/8"</div></div><div>TD @ 5800'</div></div></div>		Tubing Landing Detail: <table><thead><tr><th>Description</th><th>Size</th><th>Footage</th><th>Depth</th></tr></thead><tbody><tr><td>KB to Tbg Head</td><td></td><td>15.00</td><td>15.00</td></tr><tr><td>STRECH</td><td></td><td>1.50</td><td>16.50</td></tr><tr><td>177 JNTS</td><td>2 7/8"</td><td>5219.76</td><td>5236.26</td></tr><tr><td>PSN</td><td></td><td>1.10</td><td>5237.36</td></tr><tr><td>TAC</td><td></td><td>2.74</td><td>5240.10</td></tr><tr><td>1 JT 2 7/8" TBG</td><td>2 7/8"</td><td>31.07</td><td>5271.17</td></tr><tr><td>NC</td><td></td><td>0.40</td><td>5271.57</td></tr><tr><td>EOT</td><td></td><td></td><td>5271.57</td></tr></tbody></table> Tubing Information Condition: _____ New: _____ Used: _____ Rerun: <input checked="" type="checkbox"/> Grade: _____ J-55 Weight (#/ft): _____ 6.50 Sucker Rod Detail: <table><thead><tr><th>Size</th><th>Rods</th><th>Centralized</th></tr></thead><tbody><tr><td>1.0"</td><td>95</td><td>PLAIN</td></tr><tr><td>7/8"</td><td>##</td><td>PLAIN</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></tbody></table> Rod Information Condition: _____ New: _____ USED _____ REF _____ X _____ Grade: _____ D _____ Manufacture: _____ Pump Information: API Designation 2.5X2.0X 24 RWBC W/ SAND SEAL Example: _____ Pump SN#: #1357 Original Run Date: ## RERUN _____ NEW RUN _____ ESP Well Cable Size: _____ Pump Intake @ _____' End of Pump @ _____' Flowing Well "R" NIPPLE _____ PKR @ _____ EOT @ _____ Wellhead Detail: 7 1/16" 2000# <input checked="" type="checkbox"/> 7 1/16" 3000# _____ 7 1/16" 5000# _____ Other: _____ No <input checked="" type="checkbox"/> SUMMARY RIH w/CIBP and set @ 4,390' Circulate a minimum of 35' of cement on top of CIBP Green River Top - RU Wireline and shoot holes @ 2790'. RIH w/ CICR and set @ 2710'. Establish injection rate and squeeze 50 sx below and spot 10 sx cement on top RU wireline, perforate the casing at 360', RD wireline RIH with 2-7/8" tubing, Attempt to circulate up annulus with fluid Pump cement down casing and up annulus, or until good returns are seen at surface Ensure 3' of working space to cut off wellhead later			Description	Size	Footage	Depth	KB to Tbg Head		15.00	15.00	STRECH		1.50	16.50	177 JNTS	2 7/8"	5219.76	5236.26	PSN		1.10	5237.36	TAC		2.74	5240.10	1 JT 2 7/8" TBG	2 7/8"	31.07	5271.17	NC		0.40	5271.57	EOT			5271.57	Size	Rods	Centralized	1.0"	95	PLAIN	7/8"	##	PLAIN												
Description	Size	Footage	Depth																																																										
KB to Tbg Head		15.00	15.00																																																										
STRECH		1.50	16.50																																																										
177 JNTS	2 7/8"	5219.76	5236.26																																																										
PSN		1.10	5237.36																																																										
TAC		2.74	5240.10																																																										
1 JT 2 7/8" TBG	2 7/8"	31.07	5271.17																																																										
NC		0.40	5271.57																																																										
EOT			5271.57																																																										
Size	Rods	Centralized																																																											
1.0"	95	PLAIN																																																											
7/8"	##	PLAIN																																																											
Prepared By: M. Sikes		Date: 10/5/2015																																																											

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: U-02148
1. TYPE OF WELL Oil Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
2. NAME OF OPERATOR: QEP ENERGY COMPANY		7. UNIT or CA AGREEMENT NAME: RED WASH
3. ADDRESS OF OPERATOR: 11002 East 17500 South, Vernal, Ut, 84078		8. WELL NAME and NUMBER: RW 14-18C
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0892 FSL 0823 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWSW Section: 18 Township: 07.0S Range: 24.0E Meridian: S		9. API NUMBER: 43047303090000
PHONE NUMBER: 303 595-5919 Ext		9. FIELD and POOL or WILDCAT: RED WASH
COUNTY: UINTAH		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input checked="" type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION	OTHER: <input style="width: 100px;" type="text"/>
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 6/16/2016				
<input type="checkbox"/> SPUD REPORT Date of Spud:				
<input type="checkbox"/> DRILLING REPORT Report Date:				

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

QEP Energy Company plugged this well on 06/16/2016 as follows: Set CIBP at 4,390'. Pressure test passed. Capped CIBP with 10 sacks of cement. Perforated at 2790' and set CIGR at 2716'. Pumped 50 sacks through and 10 sacks on top. Perforated at 350' and established circulation. Filled production and annulus with good cement to surface (170 sacks). Welded on dryhole marker with relevant information. BLM witness on location was Jake Reary and Brendon Hueber GPS Coordinates Latitude 40.204730, Longitude -109.263038 All cement was Class G

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY
 June 20, 2016

NAME (PLEASE PRINT) Jan Nelson	PHONE NUMBER 435 781-4331	TITLE Permit Agent
SIGNATURE N/A	DATE 6/20/2016	